






EXPORT PRODUCTS CATALOG




BOLU

This catalog is prepared in the framework of project supported by the East Marmara Development Agency of Turkish Republic, "BOLU'nun Üreten Kobileri Dışa Açılıyor". The sole responsibility for the content belongs to the Bolu Chamber of Commerce and industry and the content does not reflect the opinions of East Marmara Development Agency of Turkish Republic.

Do you know about BOLU?

- Bolu has a very strategic location between the Ankara and Istanbul within the TR42 East Marmara Region according to the IBBS
- It has 11th ranking in the socio-economical development.
- It has 9th ranking in the most livable cities list.
- The ratio of literacy is around %98.
- The city is the one of the most developed one with in the region and Turkey in Health and Education sector.
- It is supposed as the "Izzet Baysal's City" because the total investment of 135 locations made by the Izzet Baysal Foundation in the health and education sector is around 400 Million TL.
- It is recognised as an university centered city because of the Izzet Baysal University hosting more than 27 thousands students.
- %61 of the total area of the city is occupied by forests;
- The city has the 4.216 USD per capita income according to the 2011 TUIK statistics.
- GNP (Gross National Products) is allocated as %38 for agriculture; %21 industry and %41 service industry.
- The economic diversity is enriched by the poultry, metal, forest, international logistics, construction, health and tourism industries.





- Share of the total poultry production of Turkey is around % 30
- Region of Gerede with 127 companies fulfills the %40 of the total leather manufacturing in Turkey
- There totally 5 industrial zones (2 of them in Bolu City Center, 2 of them in Gerede and another one (still under construction) is in Yenicag).
- The city has many contributor institutions to the real sector such as KOSGEB, Development Agencies, Technocity, BOLU Foundation of Engilkan Technical Training Center.
- The Bolu Customs Directorate has aready established and ready to give service to the exporter companies.
- City has one of the least ratio of illegality in the Turkey.
- · The city locates in the second region of the investment grant list.
- The export ratio of the Bolu centered companies increased by % 54 with 153,7 Million USD turnover.
- The city is one of pioneering cities in the international transportation sector of Turkey with 20 thousands TIR Carnets and licence plates starting with number 14 is considered as one of the trustful licence plates in the international arena.





CONTENTS

Introduction	1	WOOD INDUSTRY	(439)
METAL INDUSTRY	3	Abant Parke	2 36
		Atılım	≥ 38
Alpplas	4	Balorman	39
Arçelik	6	Emsan Korusan	40
Başoğlu	8	Ens (Sarınalbantlar)	42
Boltek	10	Er Palet	45
Bolparsan	12	Gentaş	46
Dilek Metal	13	Modelsan	48
Ekol	14	NOVA	50
Koç Makina	16	Ramtaş	53
Mks Öztürk	18	Tunçay Kontroplak	54
Öziş	20		
Özpres	22	FOOD INDUSTRY	57
Öztabak	24		
Promet	25	Abant Su	58
Schott Orim	26	Akdaş Sucuk	60
Semmak	28	Akmina	62
Tansel	30	Ak Piliç	64
Yorim	32	Anabolu	66
		Arbil Helvacılık	68
		Bolu Atlas	70
		500000	



Producing Power of Turkey, BOLU



Introduction

Turkey is moving forward with its determined 2023 macroeconomic targets. One of these targets is to reach 500 billion USD export capacity. Therefore; to reach this target, apart from the expanding the current networks of the companies that are already exporting, the companies that are not involved in the foreign trade activities should be promoted to be an exporter by their product.

should be promoted to be an exporter by their product qualities, market-process knowledges and marketting abilities.

We are as of Bolu a city that has an vision over foreign trade and increases its export capacity year by year. Especially, we believe that our city will get a great acceleration of foreign trade activities in terms of both quantative and qualitative perspective just after the operations of BOLU Customs Directorate which establihed by the decree dated August 18,2014 in official gazette.




As of Chamber, we have proposed a project named as "Bolu'nun Üretici KOBI'leri Dışa Açılıyor" to take an active role and to adapt our members into this process. Another important part of our project supported by the East Marmara Development Agency is the preparation of the catalogue for pro-ducts that have high potential over the export activities to support our productive companies in marketting activities. In this direction, we visited our companies within the city center and districts to get some information and pictures of their potential products. All of these information is consolidated under this planned catalogue and being ready to be distributed to the all stakeholders from different areas.

I would like say thank you to everyone who helped and supported this study to be finalized succesfully; I hope this catalogue will be helpful for all productive SMEs firstly and then for all potential be-neficiaries.

Türker ATEŞ

Chairman of the Executive Board

Counsil Member of Chamber of TOBB Commerce and Industry









Alpplas give services to the leader companies of the white goods sector, as a "System Supplier". The most of the completed projects have high level value added projects. On the other hand, they are playing very important role in the consolidation of the imported pieces for the Turkish Main Industrial players. Continuously following-up the developments and technology with new investments, the firm gained a considerable market presence in the relevant field. Alpplas has showed a great improvement in a short time and become one of the leading establishments of our country. All kinds of electronic circuit and plastic designs production are carried out within the plant and takes the role of solution partner.



ALPPLAS ENDÜSTRİYEL YATIRIMLAR A.Ş. Yukarısoku Mah. Çele Sok. No:74 14300 Bolu

Telefon: +90 (374) 217 45 66 Fax:+90 (374) 215 96 72 E-mail: info@alpplas.com http://www.alpplas.com




Alpplas has gained a reputation with its experience and technical possibilities in the subject of Plastic Injection, particularly in components in which aesthetic and functionality are important. Having incorporated this technical skills with up to date machine field, Alpplas ensures the support of subsidiary industry required by key industries in the robust competitive environment of the global market by this means. Acquiring high quality with competitive costs and perpetuating this is one of the unchanging targets. The injection machinery starting from 50 tons and extending to a wide range up to 1.200 tons clamping force is supported with advanced technology dosing and mixing system, fully automatic robots and conveyors. In addition, some injection machines are equipped with Gas Injection technology. While a considerable material saving is ensured by means of this technology, an increase in high surface quality and strength is ensured. Alpplas is the first company implemented the gas Injection technology.



ALPPLAS ENDÜSTRİYEL YATIRIMLAR A.Ş. Yukarısoku Mah. Çele Sok. No:74 14300 Bolu

Telefon: +90 (374) 217 45 66 Fax :+90 (374) 215 96 72 E-mail: info@alpplas.com http://www.alpplas.com





ZEUS PLATFORM OIM 39701 X

Built-in Oven with Narrow Panel

82 lt. Volume / A Class Energy

LCD Touch Control Watch

Multifunctional

15 Cooking Categories

Fan Cooking

2 Telescopic wire shelves

Halogen Square Indoor Lamb (Right Side)

Halogen Circular Indoor Lamb (Back Side)



ARÇELİK A.Ş.


Yukarısoku Mah. Arçelik Sokak No:1 BOLU

Telefon: (0374) 215 20 91 Fax: (0374) 215 20 90

E-mail : corporateinfo@arcelik.com

http://www.arcelik.com.tr





MIKROWAVE KOMBI GEKW 47000B

45 cm Compact Built-in Oven
40 lt. Volume / A Class Energy
Turbo + Microwave
LCD Touch Control Watch
10 Cooking Categories
Cooking support by microwave
Halogen Circular Indoor Lamb (Back Side)



ARÇELİK A.Ş.


Yukarısoku Mah. Arçelik Sokak No:1 BOLU

Telefon: (0374) 215 20 91 Fax: (0374) 215 20 90

E-mail : corporateinfo@arcelik.com

http://www.arcelik.com.tr





PROFILE GASKETS HARNESSING

In general silicone profiles for connections, continues to be indispensable, especially where household appliances and industrial and household ovens gets continuous changes and developments, as well as these materials being desired areas of durability against chemicals safer, more perfectly functional for high temperatures.

Based on the specific requirements of the technical department rigorously executing profile design allows the production of appropriate materials to customer's requests.

Silicone profiles produced by different technical characteristics of the working environment such as tear strength, compression resistance and high temperature property (max. 300 °C), steam, oil, chemicals and so on. Most of the clips on the corner of oven-end fittings and gaskets, metal hooks, designed by Başoğlu Kablo Inc.'s technical team in coordination with our clients.



BAŞOĞLU KABLO ve PROFİL SANAYİ ve TİCARET A.Ş. Organize Sanayi Böl. 3. Cd. No:32 Merkez Bolu / Türkiye

Telefon: +90 (374) 243 86 52 Fax: +90 (374) 243 86 80 E-mail: info@basoglukablo.com http://www.basoglukablo.com













-40 °C ... +90 / +120 °C

APPLICATION.

They are used in splar energy production applications, solar cells. and solar panel systems. It is suitable for usage in PV systems manufactured in compliance with HO 80364-7-712. Recommended. service life is 25 years.

KABLO YAPISI / STRUCTURE

Elektrolitik kalayk esnek balor Ewctrolytic tirned flexible copper lletken LSZH-FR capraz beğli polimer LSZH-FR cross linked polymer izolasyon LSZH-FR çapraz beğli polimer 3 304f LS2H-Fill cross linked polymer

TEKNIK ÖZELLİKLER / TECHNICAL SPECIFICATIONS

EN 60228 class 5 2 Nominal çalışme voltajı (AC) 0.6/1 kV Nominal operating voltage (AC) 3 Max. geligma voltaji (DC) Operating voltage max. (DC) 4 Test volta) (AC) 10 kV 5 Akom tagema kapasitesi TÜV 2 Pfg 1169/08.2007 PV sistemi için kablo şartlarına endo According to requirements for cables for PV system TUV 2 Ptg 1169/05 2007 Current carrying capacity

Operating temperature Max, depolama sicakliği. ±40 °C Referens standartlar EN 60332-1-2 Reference standards Ozon direnci EN 50396 ya göre test Test according to EN 50396 Ozorie resistance UL 1681 (xeno testi), 10 L/V direnci ISO 4892-2 (meth 1). HD 606/A1-2.4.20'ye göre test LN/ resistance ixeno-teeti, ISO 4892-3 (math.1), HD 605/A1-2.4.20 EN 61034-2 Duman yoğunluğu 11 Smoke density.

EN NO267-2-1 12 Halojen asit gaz miktan Halogen acid gas content Gazlerin asidik derecesi EN 50267-2-2 13: Dogree of podity of gases Asit ve alkali direnti 14 EN 60811-2-1 Acid and alkali solution

EN 60332-3-24 Cat C Aley ilerternesi Fleme propagation

Ürün ömrü 25 yr Expected life time.




BAŞOĞLU KABLO ve PROFİL SANAYİ ve TİCARET A.Ş. Organize Sanayi Böl. 3. Cd. No:32 Merkez Bolu / Türkiye

Telefon: +90 (374) 243 86 52 :+90 (374) 243 86 80 E-mail: info@basoglukablo.com http://www.basoglukablo.com

15

16



DOUBLE SWITCH

Body Color Black-White-Gray **Button Color** Black-White-Red-Gray

Ohmic Current 10A-16A Induced Current 2A-4A Working Voltage 250 VAC Working Temperature 125 C

Terminal Dimensions 6,3x 0,8 mm Connection By Pushing Electrical Life 10.000 Cycle Panel Hole Dimensions 30x22 mm

ON/OFF Functionality



BOLTEK PLASTİK ve Elektrik Kontrol Cihazları San. ve Tic. Ltd. Şti. Organize Sanayi Böl. 3. Cadde No: 37 Merkez Bolu / Türkiye

Telefon: +90 (374) 243 94 06

Fax :+90 (374) 243 94 08 E-mail: abdi.ozturk@boltek.com.tr

http://www.boltek.com.tr



SWITCH WITH WIDE LIGHT AREA

Body Color Black-White-Gray Button Color Black-White-Red-Gray

Ohmic Current 10A-16A Induced Current 2A-4A Working Voltage 250 VAC Working Temperature 125 C

Terminal Dimensions 6,3x 0,8 mm
Connection By Pushing
Electrical Life 10.000 Cycle
Panel Hole Dimensions 30x22 mm

Functionality ON/OFF - with Light



BOLTEK PLASTİK ve Elektrik Kontrol Cihazları San. ve Tic. Ltd. Şti.

Organize Sanayi Böl. 3. Cadde No: 37 Merkez Bolu / Türkiye

Telefon: +90 (374) 243 94 06 Fax:+90 (374) 243 94 08

E-mail: abdi.ozturk@boltek.com.tr

http://www.boltek.com.tr



PRESS PRODUCTS

There is a production line of eccentric and hydroulic presses ranging from 100 to 1000 tone in our factory in which manufacturing occurs according to the ISO standards. Cold forming of the metal sheets with inox, enamel and dkp quality is made in our production. We can manufacture the products with different dimensions in our production line which includes welding and stitch robotics.

We apply controls for the automotive and white goods sector highest level and sensetively by using modern quality control devices, such as CMM 3D Assesment Device and Photometric Assesment Devices.



BOLPARSAN BRODE TEKSTİL METAL SANAYİ ve TİCARET A.Ş. D-100 Karayolu Karacaağaç Mevkii 14100 Bolu

Telefon: +90 (374) 245 17 56 Fax :+90 (374) 245 17 54 E-mail: info@bolparsan.com http://www.bolparsan.com



ELECTRIC POLE

Bolted-Galvanised LV-HV Electric Pole

Low Voltage (LV) ranging from 40 meter to 70 meter High Voltage (HV) ranging from 60 meter to 200 meter




DİLEK METAL TİC. SAN.LTD.ŞTİ.

Aşağı Soku Mahallesi Kınacı Sok. No:15/B BOLU

Tel: +90 (374) 217 69 82 Fax: +90 (374) 217 69 82

E-mail: dilekmetal@hotmail.com

http://www.dilekmetal.com



MOULDING MANUFACTURING

The transfer moulding of the Arçelik dishwasher's exterior front cover is shown above. The external cover is put together by using three transfer moulds in three different stations. DKP andINOX pieces in the mould can be printed by changing the press stroke adjustment, withoutinterfering the mould itself. In the sector of white goods appliances, metal sheet templates as well as the pieces are printed for sub-contractors, hence, the moulds and pieces of oven frames, cooktops, bottom containeretc.are also printed. The varieties of moulds produced in our firm can be put into the following categories:

- Progressive Moulds
- Transfer Moulds
- Manual Moulds (Plastering, Cutting, Bending, Folding)



EKOL MAKINA KALIP SANAYİ VE TİC. LTD. ŞTİ. Organize Sanayi Bölgesi 1. Cad. No:21 BOLU

Tel: +90 (374) 243 93 26 Fax: +90 (374) 243 97 01

E-mail: ekolkalip@ekolkalip.com

http://www.ekolkalip.com



HORIZONTAL CUTTING EDGE MACHINE

The horizontal cutting edge machine shown above is equipped with CNC control, double movement and power-assisted control. Due to the presence of CNC control, after cutting the sideedge, cutting group goes over to perform bending process as a second step. Even though theoperation requires three moulds, our machine can perform intended edge length by cutting andbending under a single mould. Inner bending measurement can be made up to as small as 2 mm. Our machine does not work as similar ones according to copying system and it has higherlifespan and lower costs than similar products due to CNC control. Our horizontal cutting edgemachine can cut easily a diagonal part with 350x900 dimensions by programming the CNCcontrol.



EKOL MAKINA KALIP SANAYİ VE TİC. LTD. ŞTİ. Organize Sanayi Bölgesi 1. Cad. No:21 BOLU

Tel: +90 (374) 243 93 26 Fax: +90 (374) 243 97 01

E-mail: ekolkalip@ekolkalip.com

http://www.ekolkalip.com



OVEN TOP COVER HINGE

%70 of the oven hinges of Arcelik PCI is manufactured by Koc Makina. Hinge has black cataphoresis cover. Therefore, this cover enables the ovens to work silencely and gives life long guarentee for the products.



KOÇ MAKÎNA KALIP DOĞALGAZ MÜH. NAK. TUR. SAN. VE TİC. LTD ŞTİ.

Okçular Köyü İslamlar Mah. Örencik Sokak No:2 Bolu

Telefon: +90 (374) 215 26 45 Fax :+90 (374) 215 28 27 E-mail: info@kocmaksan.com.tr http://www.kocmaksan.com.tr



WAVEGUIDE

This part on which microwaves can occurs has the totally stainless steel sheets.

The body consist of two metal sheets. The gap between the metal must not more than 14 micron.

The connection of these metal sheets are made mechanically by the resistance welding and toks punch.

The manufacturing of such a critical equipment can be possible with combination of advanced engineering and experienced human resources.



KOÇ MAKÎNA KALIP DOĞALGAZ MÜH. NAK. TUR. SAN. VE TİC. LTD ŞTİ.

Okçular Köyü İslamlar Mah. Örencik Sokak No:2 Bolu

Telefon: +90 (374) 215 26 45 Fax :+90 (374) 215 28 27 E-mail: info@kocmaksan.com.tr http://www.kocmaksan.com.tr





TENSION GROUP FOR CONCRETE MOLDING

Tension Group

- 8-15 micron electrogalvanised
- painted to required color

Cam Coupler is 40-45 HRC hardened and 8-15 micron electrogalvanised.



ÖZTÜRK MAKİNA KALIP PARÇA İMALAT SAN. ve TİC.LTD.ŞTİ Yeni Küçük Sanayi Sitesi C Blok No: 7 Merkez - BOLU - Türkiye

Telefon: +90 (374) 243 93 22 Fax:+90 (374) 243 92 81

E-mail: info@ozturkmakinasan.com http://www.ozturkmakinasan.com



METAL SHEET AND EQUIPMENTS FOR MOUNTING

Mounting metal sheet and equipments of gas heater, combi, electrical thermosiphon and air conditioner.

DIMENSION AND TYPE

Apart from our dimension and product types, any special orders can manufactured in required dimension and type.

SURFACE PROCESSES

It can be manufactured from such products:

- Painted to any requried electrostatic powder color
- 0-15 micron elctrogalvanised.
- DIN EN 10327-04 DX51D+Z, DIN EN 10327-04 DX52D+Z, DIN EN 10327-04 DX53D+Z

If any metal sheet and equipments for mounting is required in any different dimension and type, they can be manufactured by our company.



ÖZTÜRK MAKİNA KALIP PARÇA İMALAT SAN. ve TİC.LTD.ŞTİ Yeni Küçük Sanayi Sitesi C Blok No: 7 Merkez - BOLU - Türkiye

Telefon: +90 (374) 243 93 22 Fax:+90 (374) 243 92 81

E-mail: info@ozturkmakinasan.com http://www.ozturkmakinasan.com



BASE ELEVATION SYSTEMS

The base elevation systems stabilize the deformed structures and solve the grade problems. The drifting away of the elevated structure from the basement inhibits to become humid and moisture. It helps to hide redundant cables, pipes of air circulation and watering which has a undesired view and also enables to make renovation in the pipe system or cable system without destroying the floor. Metal base elevation systems are more durable than the plastics ones and also they can be adjusted in desired height.



ÖZİŞ KALIP MAKİNA SAN. TİC. A.Ş.

Yukarısoku Mah. Yeniköy Mevkii 3. Cadde No: 23 Bolu

Telefon: +90 (374) 212 87 00 Fax: +90 (374) 212 87 05 E-mail: info@ozismakina.com.tr http://www.ozismakina.com.tr



MAIN GAS AND GAS TRANSFER PIPES

1.000 tone metal sheets are processed in our 400 tone eccentric and hydraulic presses annually, 1.750.000 meter pipes with different diameters and 40 tone line shaft are used.

There are many oven inner main gas and gas transfer pipes manufacturing with different types and dimensions in our product portfolio.

Most of the manufactured Main Gas and Gas Transfer Pipes are sent to the Arçelik A.Ş.



ÖZİŞ KALIP MAKİNA SAN. TİC. A.Ş.

Yukarısoku Mah. Yeniköy Mevkii 3. Cadde No: 23 Bolu

Telefon: +90 (374) 212 87 00 Fax :+90 (374) 212 87 05 E-mail: info@ozismakina.com.tr http://www.ozismakina.com.tr



OVEN GRILL WIRES

Raw Material 6 mm and 4 mm ST 37 hot dip galvanized wires. Dimensions can be arranged according to customer demand. There is nickel+chrome plating after shaping the wires.



ÖZPRES MAK. SAN. VE TIC. A.Ş

Organize Sanayi Bölgesi Dış Kapı: 120 İç Kapı: 9 Merkez / Bolu

Telefon: +90 (374) 215 33 53 Fax :+90 (374) 217 11 92 E-mail: ozpres@ozpres.com.tr

http://www.ozpres.com.tr




PLATE DRYER WIRES

Raw Material 6 mm and 3 mm ST 37 hot dip galvanized wires. Dimensions can be arranged according to customer demand. There is nickel+chrome plated after shaping the wires.




ÖZPRES MAK. SAN. VE TİC. A.Ş


Organize Sanayi Bölgesi Dış Kapı: 120 İç Kapı: 9 Merkez / Bolu


Telefon: +90 (374) 215 33 53 Fax :+90 (374) 217 11 92 E-mail: ozpres@ozpres.com.tr


http://www.ozpres.com.tr



Our company manufacturing the enamelled oven wires from the metal sheets to the global white good producers. Electrostatics Matt and Polished Enamel is applied to the different type of oven wires produced in the company.









ÖZTABAK KALIP MAKİNA İNŞ. NAK. SAN. VE TİC.LTD. ŞTİ. Sultan Köyü Yolu Küçükberk Köyü No:84 BOLU

Tel: +90 374 212 31 53 Fax: +90 374 218 18 20

E-mail: oztabak@oztabakmakina.com

www.oztabakmakina.com



Electrostatic matt and bright enamel-plating wires

Parameter Test Method

Homogeneous

Coating Thickness

Adherence

Thermal Shock Endurance


Coppering Citric Acid ss ISO 2178

Impact-Resistant Test Directive

Thermal Shock Endurance Test Directive

Coppering Test Directive

ISO 2722







PROMET METAL SAN. VE TİC. A.Ş.

Yukarı Soku Mahallesi Çele Sokak No:72 14300 BOLU

Tel: +90 374 217 38 67 Fax: +90 374 217 12 58

E-mail: info@prometmetal.com

www.prometmetal.com



Glass is a high-end material and upgrades the look of home appliances and many other applications.

The SCHOTT Flat Glass meets the high requirements in creating aesthetic and individual glass solutions for household appliances, kitchen and living. Leading design and color expertise helps to enhance the high-end appearance of household appliances. With decades of know-how in glass processing and custo-mized solutions, SCHOTT Flat Glass is the preferred partner in the household appliance industry. SCHOTT refrigeration and freezer doors solutions maximize the display of products and their selling exposure and are at the same time energy efficient and space saving. Cross linked production sites all over the world enable us to be a flexible and secure partner offering products complying with international standards.

FLAT GLASS FOR OVENS

We offer optimized and customized glass solutions for ovens with a great variety of oven doors and control panels. Control panels in different shapes and sizes, special printing on oven doors or low emissivity oven door glass are only a small part of our wide range of products.

SCHOTT Orim

SCHOTT CAM TIC. LTD. STI.

Organize Sanayi Bölgesi - Dr. Akın ÇAKMAKÇI Bulvarı No:60 BOLU

Telefon: +90 (374) 243 89 52 Fax:+90 (374) 243 84 73

http://www.schott.com



HOB TOPS FOR GAS COOKER

More and more people discover the experience of cooking, especially cooking with gas – fast reaction time and easy to handle. Cooking becomes more enjoyable when looking at a stylish surface like SCHOTT Hob Tops, which can be produced in almost unlimited styles: Satin, frosted, unlimited colors or mirror like - one to fit every taste. Different shapes, sizes, edge and corner work and bevelled edges give an individual appearance.

Product Specifications:

Different shapes, sizes and special edge and corner work

For brilliant results we use special glasses such as Clear float, Tinted glass, Coated glass with mirror effect, Extra white glasses

Multi-functionality: Electrical warming zones keep dishes, pots and plates warm.

SCHOTT Orim

SCHOTT CAM TIC. LTD. STI.

Organize Sanayi Bölgesi - Dr. Akın ÇAKMAKÇI Bulvarı No:60 BOLU

Telefon: +90 (374) 243 89 52 Fax: +90 (374) 243 84 73

http://www.schott.com



MOLD MANUFACTURING

There are plaster, prograsive and transfer mold manufacturing in our company. After getting pre-information and technical specifications of the products from customers, mold desiners and experts start to pre-desing of the mold system. Final desing of the molds is started according to the common decisions. After mold desing is completed, the manufaturing step starts. Product designs are distributed to the CNC, EDM and conventional mold machines. Steel, set of mold and assembly of the products and final quality controls occurs in a paralel way and delivered to the press.



SEMMAK MAKİNE İMALAT SAN. ve TİC. LTD. ŞTİ

Yukarısoku Mah. Çele Sok. No:80 - Bolu

Telefon: +90 (374) 217 11 65 Fax :+90 (374) 212 74 26 E-mail: info@semmak.com.tr http://www.semmak.com.tr



DECOILER

After installation the coil on Eccentric (Type C) or (Type H) presses, decoilers are driven automatically. They have single, double and compact models with loading capacity ranging between 200kg to 10 tone according to the order.

FEEDER

These are the electronic servo feeders using in the the Eccentric (Type C) or (Type H) presses also they can operate automatically, be programmable, fulfill the different dimensions and working conditions, and be manufactured in desired dimensions. Depending on the order, we can manufacture servo feeder in the range of max/min width 0x1200 mm, height 0,40x3 mm.



SEMMAK MAKİNE İMALAT SAN. ve TİC. LTD. ŞTİ

Yukarısoku Mah. Çele Sok. No:80 - Bolu

Telefon: +90 (374) 217 11 65 Fax :+90 (374) 212 74 26 E-mail: info@semmak.com.tr http://www.semmak.com.tr



SILICONE WIRES & CABLES

Silicone profiles and tubes are designed and developed to customer's requirements in a variety of colours and continuous or cut-to-length.

SILICONE OVEN DOOR SEALS

Oven seals are customer specific and are extruded and assembled to the individual customer's requirements.



TANSEL ELEKTRIK A.Ş.

Organize Sanayi Bölgesi, 1. Cadde No:8, 14240 Bolu, Turkey

Telefon: +90 (374) 243 85 16 Fax: +90 (374) 243 81 84 E-mail: info@tanselelektrik.com

http://www.tanselelektrik.com - www.cablex.si



WIRING HARNESSES & CONTROL ASSEMBLIES

We have a comprehensive range of wire & cable harness product capabilities: cut, stripped & crimped harnesses and interconnection assemblies to customer specification.

We can offer cost-effective harness design solutions to the customer's requirements. We can also offer harnesses built to drawing, built to sample or through reverse engineering.

We can manufacture harnesses to each specific application within the appliance of white household products (such as oven, refrigerator, washing machine, etc.).




TANSEL ELEKTRİK A.Ş.

Organize Sanayi Bölgesi, 1. Cadde No:8, 14240 Bolu, Turkey

Telefon: +90 (374) 243 85 16 Fax :+90 (374) 243 81 84 E-mail: info@tanselelektrik.com

http://www.tanselelektrik.com - www.cablex.si




GLASS FOR HOB TOPS OF COOKERS

6-8 mm printed, tempered glass is used as an alternative to the metallic appearance in the furnaces.



CAM MERKEZİ SANAYİ VE TİCARET A.Ş. Organize Sanayi Bölgesi, Bolu, Turkey

Telefon: +90 (374) 243 87 27 Fax: +90 (374) 243 87 22 E-mail: info@yorim.com.tr http://www.yorim.com.tr



OVEN INNER AND OUTER GLASSES


They are manufactured as just tempered glass or tempered glasses with Pyrolytic Low-e covering for inner ones.



CAM MERKEZİ SANAYİ VE TİCARET A.Ş. Organize Sanayi Bölgesi, Bolu, Turkey

Telefon: +90 (374) 243 87 27 Fax: +90 (374) 243 87 22 E-mail: info@yorim.com.tr http://www.yorim.com.tr





Brushed Cod with Choo	colate Oil		
Natural Afromasia	The State of the S	ALCOHOL:	E275 (See
Natural Oak			0.000
Natural Sapelli			

- Both sides of the FOREST FLOORING laminated parquet is coated by the natural wood. It is durable for the humidity coming from the bottom side because it is coated by the protected polish at the bottom side.
- The top part of the parquet is coated by the natural wood polish with 44 gr/m2. (Hot Coating by German brand Kleiberit). (Its durability for impacts and scratches is increased. The quantity of polish on normal laminate is around 32 gr/m2)
- FOREST FLOORING laminated parquets establish a close contact with floor due to the more flexible structure which have 11 mm widht and natural coating of both sides and therefore, it is 5 times more silent than the normal laminate.
- 4. It can absorp the heat and keep the rooms still hot after heating system is closed because the top side of the parquet is coated by 44 gr special Hot Coating polish and natural wood.



ABANT PARKE SANAYİ ve TİCARET A.Ş.

Organize Sanayi Bölgesi 3. Cad. No:15 BOLU - TÜRKİYE

Telefon: +90 (374) 243 94 55 - 56

Fax : +90 (374) 243 94 96

E-mail: abantparke@superonline.com

http://www.abantparke.com.tr



- Due to the water-repellent specification of Hot Coating Polish used in the products, they can not absorp the water in the floods and therefore make deformation or expansion.
- German branded Hot Coating Polish, Klieberit is more flexible and durable than the other polish systems.Especially it can not be affected from the heals of the women shoes. Also, it has a life of around 40 years.
- 7. The locked system enables to change the just part of parquet which is damaged. And this specification enables not to handle with extra time consumption, dust, dirt and polish smell. This system saves serious money. For example, the cost of this locked system is max 80 -100 TL for 40 m2 room and you do not need to leave the room, however if you decide on making the sistre polish, it requires min 800 1000 TL and also you have to leave the room during this operation.



ABANT PARKE SANAYİ ve TİCARET A.Ş.

Organize Sanayi Bölgesi 3. Cad. No:15 BOLU - TÜRKİYE

Telefon: +90 (374) 243 94 55 - 56 Fax: +90 (374) 243 94 96

E-mail: abantparke@superonline.com

http://www.abantparke.com.tr



WOOD

It is the yellow pine timber from BOLU



ATILIM ORMAN ÜRÜNLERİ

Organize Sanayi Bölgesi 7 Cad.No:1 BOLU

Telefon: +90 (374) 243 90 88 Fax: +90 (374) 243 87 31

E-mail: info@boluatilimkereste.com http://www.boluatilimkereste.com



TABLE TOP

Balorman commenced producing table top for the white goods industry such as washing machine, dish washing machine and dryers.

Production occurs in the highly technological, robotic and automatical lines. Our customer-oriented service approach will persist with our environment-friendly and cost-effective models.

Currently, 9 million table tops of which 3 million are grouped table top are being produced on annual basis.



BALORMAN ORMAN ÜRÜNLERİ TEKSTİL SANAYİ VE TİC. A.Ş.

Organize Sanayi Bölgesi 3. Cadde No: 17 Bolu

Telefon: +90 (374) 243 91 92 Fax :+90 (374) 243 81 65 E-mail: info@balorman.com http://www.balorman.com



TURNING WOOD

USES: PIER excavation, Bases, CHILDREN PLAYGROUND, BAG PILLAR, in OTHER OUTDOOR USE RENOVATION.









EMSAN KORUSAN EMPRENYE VE ORMAN ÜRÜNLERİ SAN. VE TİC AŞ.

Aşağı Karaköy, Söğütlük Mevkii / BOLU

Telefon: +90 (374) 253 43 26 Fax :+90 (216) 484 23 32 E-mail: info@korusan.com.tr http://www.korusan.com.tr



TRADITIONAL CLAPBOARD

Areas of use: Wood and concrete structures used as well cladding

Thickness	Width	Coverage Area		
1.5 - 3 cm.	12 cm.	22 m2		
1 - 2 cm.	8.8 cm.	26 m2		



EMSAN KORUSAN EMPRENYE VE ORMAN ÜRÜNLERİ SAN. VE TİC AŞ.

Aşağı Karaköy, Söğütlük Mevkii / BOLU

Telefon: +90 (374) 253 43 26 Fax: +90 (216) 484 23 32 E-mail: info@korusan.com.tr http://www.korusan.com.tr



There is furniture manufacturing from the natural woods (especially beechen) for kindergardens. Product dimensions are arranged according to the EN 1729-1-2 European Standards. EN71-3 certificated paints and lacquer are used for the surface protection and polishing. Ergonomic designs of products are designed to support the body shapes of the kids.



SARINALBANTLAR KOLLEKTİF ŞİRKETİ Organize Sanayi Bölgesi 5. Cad. No:45 BOLU

Telefon: (0374) 243 88 18 Fax: (0374) 243 88 17 E-mail: ens@ensahsap.com http://www.ensahsap.com/



Our company is determined the export target market as Europe and Middle East for the brand of ENS KIDS COLLECTION in the kindergarden furniture manufacturing since 2011, while the manufacturing of semi finished products is still keeping on under the ENS WOOD. Our company is targetting to be persistent in the foreign markets by attending the many international fairs. We are also reaching our customers in the local market via active marketing activities and fairs.

The list of our attented fairs:

- 1) Interzum Cologne
- 2) International Toy Fair-Numberg
- 3) GESS Dubai
- 4) Toyzerie-Istanbul
- 5) Educashow-Istanbul



SARINALBANTLAR KOLLEKTİF ŞİRKETİ Organize Sanayi Bölgesi 5. Cad. No:45 BOLU

Telefon: (0374) 243 88 18 Fax :(0374) 243 88 17 E-mail: ens@ensahsap.com http://www.ensahsap.com/





EURO Pallette

These are the Fir or Pine Pallettes with dimensions of 80x120 100x120

Box for Glass

These are boxes from heat treated Fir trees



ER PALET

ER PALET VE KERESTE İMALAT SAN.TURZ.TİC.LTD.ŞTİ. Organize Sanayi Bölgesi Dr. Akın Çakmak Bulvarı No:2 BOLU

Telefon: +90 (374) 243 81 50 Fax: +90 (374) 243 81 64 E-mail: ermetal@ttmail.com http://www.erpalet.com.tr



TAVILO PROFIX FORMING

TAVILO PROFIX FORMING seperated itself from ongoing compact laminate moulds and by the help of TAVILO's high technology trends, it helped the creativity to be increased at architectural studies. TAVILO PROFIX FORMING which has been produced under special production technologies, can be bended in various shapes. It has an opportunity of being a unique product and can be used in wide range of areas such as interior – exterior edges, interior curved fields, bathroom and laboratory stands, window and door sills, decoratively curved areas at office and home furniture, exterior applications and benches.

Main properties of compact laminate such as being durable, solid, hygienic and able to be cleaned easy merged with TAVILO PROFIX FORMING 's aesthetic. As a result, it became an effective and detail – solving material.



GENTAŞ GENEL METAL SANAYÎ VE TÎCARET A.Ş.

Serpek Mevki Mengen 14841 Bolu

Telefon: +90 (374) 356 18 78 Fax: +90 (374) 356 11 60 E-mail: gentas@gentas.com.tr

http://www.gentas.com.tr



The Unique Colours, Forms and Shapes of Design...

Tavilo is expanding its experience and power with innovative design approach through the technological investments. It aims to offer you the highest product and service quality.

By making production in international quality standards through the modern techniques and advanced production Technologies with fabrication methods, Tavilo proceeds its way of becoming a "World Brand" with smart details, aesthetical style and vivid colours. Tavilo aims to join the idea and design principals in production and to offer you the customized solutions for your living spaces and to bring innovations. Tavilo will keep on seeking for the perfect solution to you and presenting innovations by blending the tradition of the past with future technologies.



GENTAŞ GENEL METAL SANAYİ VE TİCARET A.Ş.

Serpek Mevki Mengen 14841 Bolu

Telefon: +90 (374) 356 18 78 Fax: +90 (374) 356 11 60 E-mail: gentas@gentas.com.tr

http://www.gentas.com.tr



Wooden Pergola

Dimensions (WxDxH): 320 cm x 380 cm

2. class, integrated, 1,8 cm x 8,5 cm floor board from pine wood will be used on the basement over 42 mm x 90 mm connection system.

3 x 5 unit Camber from 45 mm x 80 mm fir wood obtained by polyurethane glue made via lamination technology is used in sitting area

6 unit with min dimensions of 84 mm x 80 mm fir wood will be used in the connection of roof and basement. 12 unit with min dimensions of 40 mm x 80 cm fir wood will be used in the roof and it will be shaped as camber by using laminated technology and polyurethane glue.

The roof is oval with 450 cm diameter and 380 cm height at most.

2 cm metal sheets are used in the metal parts.

Metal connection points will be painted with the antirust protector paint at the final stage.

There can be +/- 2 mm margin in the wood dimensions.

The screws are covered by oxide coating and zinc coating for open areas and other parts, respectively. For the wooden parts, polyurethane lacquer is used over the water-based impregnated colorated paint



MODELSAN DEKORASYON MOBILYA SAN. VE TİC LTD ŞTİ

Organize Sanayi Bölgesi 6 Cad No : 41 BOLU - TÜRKİYE

Telefon: +90 (374) 243 92 64 Fax : +90 (374) 243 92 97 E-mail: info@modelsan.com http://www.modelsan.com



Swing

It is manufactured from the imported picea wood.

Its wooden curves are manufactured with lamination technology to assembled with aesthetic view point.





MODELSAN DEKORASYON MOBILYA SAN. VE TİC LTD ŞTİ

Organize Sanayi Bölgesi 6 Cad No : 41 BOLU - TÜRKİYE

Telefon: +90 (374) 243 92 64 Fax: +90 (374) 243 92 97 E-mail: info@modelsan.com http://www.modelsan.com



'Logo and brand of "Thermowood" can be used just by the members of Thermowood Associations.

Novawood is the one of the 14 members of the International Thermowood Association throughout the world, also it is first Turkish member.


The products treated with the Thermowood method are;

- 100% natural. The wood is free from resin and chemicals. No chemicals are used during the production process.
- Ecological. Thermowood products contain no environmental or health hazards. They are produced from renewable forests, are environmentally friendly, sanitary, recyclable and durable.
- Durable. Thanks to its low water absorption, Thermowood maintains its durability in all weather conditions.
 It is longer lasting than regular wood. Low moisture content also prevents decay and fungi growth.
- Stable. Thermowood's bending and twisting characteristics are reduced by %90, compared to ordinary wood.
- Uniform. Heat treatment turns the wood into an uniform color. Compared to regular wood, Thermowood also keeps its varnish and paint better.



Nova Orman Ürünleri San. Tic. A.Ş. Gerede Organize Sanayi Bölgesi No:101-2 Gerede / BOLU

Tel : +90 212 670 38 25 Faks : +90 212 670 38 29 E-mail : nova@novawood.com http://www.novawood.com



- Insulating. Thermowood provides 25% more heat and sound insulation compared to regular wood.
- · Safe. Thermowood is 30% more fire resistant than regular wood.
- · Insect-proof. Thermowood is completely protected from insects due to its low moisture content.

Natural form of Novawood enables to develop an indentity.

NOVAWOOD addressing the consumers and profesionals who are searching for special and stylish products with pine, oak, poplar, and ash woods in facing.

NOVAWOOD products enables you qualified and sytlished and adding some value with its complementary solutions, such as apart from the facing, panel wall covering, floor covering, DECK, sunshades, laminated wood columns, solid wood parquets, laminated parquets.

The products manufactured by high technology is certificated under the TS EN 15679 standard byTSE. In addition, Novawood products passed the quality test of TMT product certification which accepted by the world stadand league.



Nova Orman Ürünleri San. Tic. A.Ş. Gerede Organize Sanayi Bölgesi No:101-2

Gerede / BOLU

Tel : +90 212 670 38 25 Faks : +90 212 670 38 29 E-mail : nova@novawood.com http://www.novawood.com





UTILITY POLES

Electrical Towers

Length (m)	Pole Type	Peak Diameter (Inti)		Medium Diameter (IIII)		Bottom Clameter (IMO	
		Lowest	Highest	Lowers	Highwell	Lower	Highest
9-000		- 39	14	- 10	11:	78	- 20
	8-0	19	11	- 14	30	- 11	- 20
	94	16	26	- 21	38.	24	26
18+025	104	19	14.	- 10	17	18	-31
	9.0	76.0	100	100	(80	20	: -31
	104		- 80	- 21	- 81	- 86	- 21
1-00	10.0	- 19	16	47	W	- 79	. av
	196	16	**	- 91	- 80	34	- 11
	114	19	31	-31	85	16.	- 34
tivas	199	- 19	10	- 4	10	- in	- 11
	34	16	16		- 27	- 14	29
	104	10	21	- 11	- 30	100	- 20

Phone Towers

(m)	Type	Peak Diameter (cnt)		Medium Diameter (cm)		Sottom Diameter (cm)	
		Lowest	Highest	Lowest	Highest	Lower	Highest
11-0.00	100	14		- 11	19	-11	
91.00		12.	10:	- 18.	26	- In	- 10





RAMTAŞ EMPRENYE SAN. VE TİC A.Ş.

Aşağı Karaköy, Söğütlük Mevkii / BOLU

Telefon: +90 (374) 253 43 26 Fax :+90 (216) 484 23 32 E-mail: info@korusan.com.tr http://www.korusan.com.tr



NILÜFER TABLE

Unstrachable laminated walnet cover over the 18 mm thinned MDF panel

HAZERAN CHAIR

Wood Legs and Cover over the Popel back Foal Feather Fabric Special Unstainable and Hydrophobic Serteks Fabric

STOOL

Leather or Fabric Cover Walnut Leg Natural Leg White Leg



TUNÇAY KONTROPLAK ORMAN ÜRÜ.İNŞ.TUR.TİC.VE SAN.LTD.ŞTİ.

Çaydurt Mevkii Çaydurt BOLU Tel: +90 (374) 226 50 26

Fax: +90 (374) 226 52 22 www.tuncaykontroplak.com



WHITE LACQUER CORNER SITTING SET

Foal Feather Fabric Laminated Walnut Cover




TUNÇAY KONTROPLAK ORMAN ÜRÜ.İNŞ.TUR.TİC.VE SAN.LTD.ŞTİ.

Çaydurt Mevkii Çaydurt BOLU Tel: +90 (374) 226 50 26 Fax: +90 (374) 226 52 22

www.tuncaykontroplak.com







NATURAL SPRING WATER

Abant sources places(locates) between the mountains, the forest of pine and fir trees. Source is on the 1300 m height. Abant water continues its flow, protects its mineral composition and taste standards, rainfall affecting all four seasons. Water, obtaines wealth of the region, is 100% natural spring water and is a source for health, safety and flavor source.

From the Bolu Mountain to the bottle, Abant Natural Spring Water remains untouched by man. No chemicals processes are introduced into the water, keeping in its naturally pure state.



KAYA TURİSTİK TESİSLERİ TİTREYENGÖL OTELCİLİK A.Ş. Abant yolu 15.km Dereceörenköyü Abant - Bolu / Türkiye

Telefon: +90 (374) 237 11 61 Fax: +90 (374) 237 11 65 E-mail: info@abantsu.com.tr

http://www.abantsu.com.tr



Abant Water is the pioneer company which has the licence of "Natural Spring Water" according to the "Regulation concerning water intended for Human Consumption" forced in 17 September 2005 under the EU Regulations. Abant Water, established in accordance with standards of Republic of Turkey Ministry of Health and the relevant EU legislation, is a one of the most modern water bottle and PET facilities.



KAYA TURİSTİK TESİSLERİ TİTREYENGÖL OTELCİLİK A.Ş. Abant yolu 15.km Dereceörenköyü Abant - Bolu / Türkiye

Telefon: +90 (374) 237 11 61 Fax: +90 (374) 237 11 65 E-mail: info@abantsu.com.tr http://www.abantsu.com.tr



AKDAS SAUSAGE

Calf Meat, Calf Fat, Salt, Garlic, Mixture of Spice, Emulgator (E 450), Preservative (E 250), Antioxidant (E 300). Our products are produced by using the Islamic methods under the inspection of veterinarians. There are no products including lard oil and ingredient obtained from pigs. It is produced according to the Notification of Turkish Food Codex Meat Products.

The company has ISO 9001-2008 Quality Management System certification.



AKDAŞ ET ÜRÜNLERİ GIDA HAYVANCILIK SAN. VE TİC. LTD. ŞTİ Büyükberk Köyü Hacı Yakuplar Mah. No:10 Bolu

Tel: +90 (374) 262 94 92 Fax: +90 (374) 262 94 92 E-mail: akdas@akdaset.com

www.akdaset.com



AKDAŞ PASTRAMI

Calf Meat, Fenugreek (Water, Red Pepper, Garlic, Salt, Colorant (E 120)). Our products are produced by using the Islamic methods under the inspection of veterinarians. There are no products including lard oil and ingredient obtained from pigs. It is produced according to the Notification of Turkish Food Codex Meat Products. The company has ISO 9001-2008 Quality Management System certification.



AKDAŞ ET ÜRÜNLERİ GIDA HAYVANCILIK SAN. VE TİC. LTD. ŞTİ

Büyükberk Köyü Hacı Yakuplar Mah. No:10 Bolu

Tel: +90 (374) 262 94 92 Fax: +90 (374) 262 94 92 E-mail: akdas@akdaset.com

www.akdaset.com



AKMINA MINERAL WATER

It is the unique mineral resource of Turkey with low sodium, high calcium and bicarbonate levels. Health and taste come from Akkaya, Bolu to your tables with a 1 lt option.



DANONE HAYAT İÇECEK VE GIDA SAN. TİC.A.Ş. Akmina Maden Suyu Fabrikasi, Mudurnu Yolu 8. km Bolu

Tel: +90 (374) 253 50 35 Fax: +90 (374) 253 50 42

E-mail: tuketici.tr@danone, hayatsu@danone, tuketici@hayatsu

www.danone.com.tr - www.hayatsu.com.tr



AKMINA FLAVOURED NATURAL MINERAL-RICH CARBONATED DRINK

Akmina mineral water enriched by the different kind of fruits such as from limes to pomegranate, from tropical fruits to vitamines is more tasty and cheerful. Characteristic of Akmina gives feeling of both healthy and tasty beverage with the help of integration of low sodium ratio with fruits.



DANONE HAYAT İÇECEK VE GIDA SAN. TİC.A.Ş. Akmina Maden Suyu Fabrikasi, Mudurnu Yolu 8. km Bolu

Tel: +90 (374) 253 50 35 Fax: +90 (374) 253 50 42

E-mail: tuketici.tr@danone, hayatsu@danone, tuketici@hayatsu

www.danone.com.tr - www.hayatsu.com.tr



AK PILIC WHOLE CHICKEN IN A BAG

Preperation Method: The innards and head of the chicken is removed, cooled only with air.

Weight of Packages: 1000 gr - 200 gr

Number of packages in cardboard boxes: 10 Unit



AKPİLİÇ TİCARET LİMİTED ŞİRKETİ

Tatlar Köyü PK 14030 - Bolu Tel: +90 (374) 243 98 84 Fax: +90 (374) 243 92 30

E-mail: akpilic@akpilic.com.tr

www.akpilic.com.tr



AK PILIC FILLET ON A PLATE

Preperation Method: Chicken is flayed and skinned.

Weight of Packages: 450 gr 900gr Number of packages in cardboard boxes: 18 Plates 12 Plates Weight of cardboard boxes: 8,1 kg 10,8 kg



AKPILIÇ TİCARET LİMİTED ŞİRKETİ

Tatlar Köyü PK 14030 - Bolu Tel: +90 (374) 243 98 84 Fax: +90 (374) 243 92 30 E-mail: akpilic@akpilic.com.tr

www.akpilic.com.tr



TARHANA WITH CORNELIAN CHERRY

Cornelian cherry is one of the unique fruits with its attractive red color, native to Bolu Mountains. Its nutrition values are high, including vitamin C, and also organic acids, proteins and minerals such as magnesium, potassium, sodium, calsium. Grown and brought in natural methods, it meets up with tarhana in BEHDER's %100 hygienic plants. Cornelian cherry gives sour taste to tarhana, a traditional soup and adds healing with zest to soup. For this reason, it is called "Healing Soup". Anabolu Tarhana with Cornelian Cherry is dried in hygienic conditions and kept in linen cloth bags for sale.



BOLU EL İŞİ HATIRALARI DERNEĞİ Aktaş Mh. İzzet Baysal Cd. No: 110/ 1 - BOLU

Tel: +90 (537) 511 90 33

E-mail: behder14@hotmail.com

www.behder.com



CONE JAM

The cones collected from pine forests that is the source of fragnance of Bolu Mountains are used in many industries, such as from food to cosmetics, pharmaceutic. The cone jam with its secret recipe is firstly produced by the Behder and offered for sale. Anabolu Cone Jam is produced and packaged with healthy conditions in Behder's %100 hygienic factory. Cone Jam is located in the first place of the breakfasts and it has a unique taste. Moreover, it can be used in cookies as additional flavor and decorating purposes.



BOLU EL İŞİ HATIRALARI DERNEĞİ Aktaş Mh. İzzet Baysal Cd. No: 110/ 1 - BOLU

Tel: +90 (537) 511 90 33

E-mail: behder14@hotmail.com

www.behder.com



MUDURNU PALACE HALVAH

Mudurnu Palace Halvah, the indispensable flavor of Ottoman Palaces, has created a different, evergreen taste with its chocolate coverage.



ARBÎL HELVACILIK GIDA SAN. TÎC. LTD. ŞTÎ.

Bolu Cad. No: 282 Mudumu - BOLU

Tel: +90 (374) 421 24 32 Fax:+90 (374) 421 20 37

E-mail: info@mudurnuhelva.com

www.mudumuhelva.com



MUDURNU PALACE HALVAH

Mudurnu Palaca Halvah, the excellent flavour that comes unchanged up to now for centuries.



ARBİL HELVACILIK GIDA SAN. TİC. LTD. ŞTİ.

Bolu Cad. No: 282 Mudumu - BOLU

Tel: +90 (374) 421 24 32 Fax:+90 (374) 421 20 37

E-mail: info@mudurnuhelva.com

www.mudumuhelva.com



RAVIOLI & NOODLE

The unforgettable Turkish tastes are on your tables in the guarentee of Atlas. Atlas Bolu Village RAVIOLI & NOODLE does not contain any additive.

The traditional ravoli taste is now on your tables in its most delicious and fresh form with the help of Atlas Ravoli manufactured from %100 Calf Meet. The special vacuumed packages fulfill longer and safe consumption opportunity.



SAVCILAR GIDA SAN. İNŞ.NAK.TUR.TİC.LTD.ŞTİ.

D100 Karayolu Karacaağaç Mevkii No:31

Telefon: +90 (374) 245 12 27

Fax : +90 (374) 245 18 00

E-mail : info@boluatlas.com.tr

http://www.boluatlas.com.tr



SPECIAL COOKIE FOR ANTEP - COOKIES - MACAROON

Atlas is producing many kind of products such as Cookies, Macaroons by using raw materials with high quality and in hygienic conditions. Nature and structure of every product is totally different. Before final products are placed in shelves of markets, the products are prepared by kneading, cooking in ideal temperature and placing in vacuumed packages after cooled.



SAVCILAR GIDA SAN. İNŞ.NAK.TUR.TİC.LTD.ŞTİ.

D100 Karayolu Karacaağaç Mevkii No:31

Telefon: +90 (374) 245 12 27

Fax: +90 (374) 245 18 00

E-mail: info@boluatlas.com.tr

http://www.boluatlas.com.tr



BAVETTE N. 13-YASSI SPAGHETTI

Bavette originate in Genoa and have the shape of a flat spaghetti.

They are the most typical Ligurian long pasta cut: if Naples has linked its name to the most famous pasta shape in the world, Spaghetti, Genoa can claim the invention of Bavette.

Born to be paired with traditional pesto, they also go well with vegetable and fish sauces.

Among the durum wheat long pasta shapes, Bavette are best for enhancing the sauce. Thanks to their flat and slightly convex shape, they are perfect for holding the sauce and releasing all flavours.



BARİLLA GIDA A.Ş. D-100 Karayolu 7.Km Bolu Tel: +90 (374) 243 90 00

Fax: +90 (374) 243 90 08 E-mail: info@barilla.com.tr

www.barilla.com.tr



FARFALLE Butterfly

Farfalle are made from a flat sheet of pasta cut into checks and "stapled" at the centre. Their delicate surface unfolds on the palate through the different consistency between the centre and the ends: a real pleasure for all food lovers. One of the most interesting pasta shapes, Farfalle adapt well to many different combinations of taste and flavour.

They have the beauty and vivacity of the real butterflies, and the shiny colour of wheat and sun. Nothing better than Farfalle Barilla to colour the table with a touch of fantasy: their smooth surface makes them particularly suitable for light and delicate vegetable sauces.



BARİLLA GIDA A.Ş. D-100 Karayolu 7.Km Bolu Tel: +90 (374) 243 90 00

Fax: +90 (374) 243 90 08 E-mail: info@barilla.com.tr

www.barilla.com.tr



BEYCI Special BOLU Chocolate

It is the transformation from caramelized sugar and hazelnuts and peanuts to special taste after meeting with the special Beyci chocolate. It is the chocolate with covering of Dark, Milky and White Chocolate.



ERZÜ GIDA İMALAT SAN. TİC. LTD. ŞTİ

Beşkavaklar Mah. Devlet Hastanesi Blv. Sapmazlar Sit. A Blok No:1 BOLU

Tel: +90 (374) 275 33 00 E-mail: erzugida@hotmail.com

www.beyci.com.tr - www.bolucikolatasi.com.tr



BEYCI BOLU CHOCOLATE

This is the registered product of Bolu where is very popular place with its dreamful and unique nature. Beyci which is recognised as the first brand when people think about Bolu serves you different tastes by special combinations of croquant and hazelnut or pistachio. Our company serves this local product, Bolu Chocolate at the best quality.



ERZÜ GIDA İMALAT SAN. TİC. LTD. ŞTİ

Beşkavaklar Mah. Devlet Hastanesi Blv. Sapmazlar Sit. A Blok No:1 BOLU

Tel: +90 (374) 275 33 00 E-mail: erzugida@hotmail.com

www.beyci.com.tr - www.bolucikolatasi.com.tr



CHICKEN NUGGET PANE

Product Name Fresh / Freezed	Quantity in the package	Weight of Package (g)	Weight of Box	Number of Packages in the box	Fresh / Freezed Bulk Net Weight (g)	Bulk Number of Products
Chicken Nugget Pane	14	290 g	4640 g	16	8000 g	330-350
Nutrition Values						
Energy (kcal /100) gr)	249				
Protein (%)		13,77				
FAT (%)		14,40				
Carbonhydrate (%) 16,20		16,20				



BEYPİ BEYPAZARI TARIMSAL ÜRETİM PAZARLAMA SAN. ve TİC. A.Ş. Vakıfgeçitveren Köyü Kabakçıkırı Sokak No: 4 BOLU

Tel: +90 (374) 243 91 51

Fax:+90 (374) 243 84 42

E-mail: beypilic@beypilic.com.tr

www.beypilic.com.tr



Soslu Piliç Izgara Kanat



SAUCED WING FOR BRAZIER

Product Name Fresh / Freezed	Packaging Type	Weight of Package (g)	Weight of Box	Number of Packages in the box	Number of wings in the package
W	Trayed	0,85 Kg	6,8 Kg	8	18-22
Sauced Wing For Brazier	Eco-Trayed	1,5 - 2 Kg	6 - 8 Kg	4	40-46
	Bulk	-	9 Kg		150-300

Product Description: Wings for brazier which is treated with spices and sauces according to formula.



BEYPİ BEYPAZARI TARIMSAL ÜRETİM PAZARLAMA SAN. ve TİC. A.Ş.

E-mail: beypilic@beypilic.com.tr

www.beypilic.com.tr



TURKEY WHOLE BREAST FILLET

This is the single part of whole breast after seperated its skin.

Product Name Fresh / Freezed	Quantity in the package	Weig Pack (g	30333	Weight of Box	Number of Packages in the box	Fresh / Freezed Bulk Net Weight (g)
Whole Breast Fillet	1	600	-850	4800-6800	8	8000-9000
Nutrition Values	Energy (Kcal/100		Protein (%)	FAT (%)	Carbonhydra (%)	te Cholesterol (mg/100 g)
Whole Breast Fillet	120		22	3	0	40



BOLU KALİTE YEM SAN. A.Ş.

Bolca Hindi Tesisleri Doğancı Mah. Mudurnu Cad. No:61 BOLU / TR

Tel: +90 (374) 253 45 76 Fax: +90 (374) 253 45 79 E-mail: bolca@bolcahindi.com.tr

www.bolcahindi.com.tr



WHOLE TURKEY

This is remaining part of the whole turkey after extracting the uneatable parts and innards

Product Name Fresh / Freezed	Quantity in the package	Weight of Package (g)	Weight of Box	Number of Packages in the box	Fresh / Freezed Bulk Net Weight (g)
Whole Turkey	-	-	15000-33000	1-3	
Energy Nutrition Values (Kcal/100 gr)					
Whole Turkey	150				



BOLU KALİTE YEM SAN. A.Ş.

Bolca Hindi Tesisleri Doğancı Mah. Mudumu Cad. No:61 BOLU / TR

Tel: +90 (374) 253 45 76 Fax: +90 (374) 253 45 79 E-mail: bolca@bolcahindi.com.tr

www.bolcahindi.com.tr



PREMIUM FESTIVAL (WITH NUTS - PISTACHIO)

Bolu Chocolate is processed and shaped with a high technology and produced from the mixture of globally known Belgium Chocolate and specially chosen nuts (Peanut, Almond).



DENİZ UNLU MAMULLER LTD. ŞTİ.

İ.Baysal Devlet Hastanesi Bulvarı No: 4/A Bolu/TURKEY

Tel: +90 (374) 275 14 24 Fax:+90 (374) 275 24 04 E-mail: bolci@bolci.com.tr

www.bolci.com.tr - http://bolcikolata.com/



CHOCOLATE WITH PLENTY OF PISTACHIO

This kind of Bolu Chocolate is produced from the mixture of Cacao and unique taste of croquant which is the obtained from the combination of specilly chosen nuts (Peanut, Almond) and caramelized sugar.



DENİZ UNLU MAMULLER LTD. ŞTİ.

İ.Baysal Devlet Hastanesi Bulvarı No: 4/A Bolu/TURKEY

Tel: +90 (374) 275 14 24 Fax:+90 (374) 275 24 04 E-mail: bolci@bolci.com.tr

www.bolci.com.tr - http://bolcikolata.com/



SAUSAGE

Thermal processed sausage including Calf Meat, Buffalo Meat, Mutton, Animal Fat, Garlic, Red (Powder) Pepper, Black Pepper, Cumin, Nitrite, Salt, Phosphate, Colorant.

BOLMET

BOLMET ET ve ET ÜRÜNLERİ LTD. ŞTİ Karamanlı Mah. Stadyum Cad. No: 39/D BOLU

Tel: +90 (374) 212 41 30 Fax: +90 (374) 213 19 74 E-mail: info@bolmet.com.tr

www.bolmet.com.tr



CENTRIFUGAL HONEY

Centrifugal Honeydew and Flower Honey



BOLMET ET ve ET ÜRÜNLERİ LTD. ŞTİ Karamanlı Mah. Stadyum Cad. No: 39/D BOLU

Tel: +90 (374) 212 41 30 Fax: +90 (374) 213 19 74 E-mail: info@bolmet.com.tr

www.bolmet.com.tr



SPECIAL PURPOSE WHEAT FLOUR

Protein (K.M): Min % 7,00 Ash (K.M): Max % 0,70

Components: % 99,98 Wheat Flour

% 0,02 Ascorbic Asid (Vitamine C)

Packaging Types: 5 kg - 10 kg - 25 kg - 50 kg



BUYSAN BOLU UN VE YEM SAN. TİC.LTD. ŞTİ.

Alıçören Köyü P.K. 76 Çaydurt / BOLU

Tel: +90 (374) 215 18 25 Fax: +90 (374) 226 40 32 E-mail: info@buysan.com.tr

www.buysan.com.tr



BREAD WHEAT FLOUR

Protein (K.M): Min % 10.50

Ash (K.M): 0,7 < % Ash < 0,8

Components: % 99,98 Wheat Flour

% 0,02 Ascorbic Asid (Vitamine C)

Packaging Types: 5 kg - 10 kg - 25 kg - 50 kg



BUYSAN BOLU UN VE YEM SAN. TİC.LTD. ŞTİ.

Alıçören Köyü P.K. 76 Çaydurt / BOLU

Tel: +90 (374) 215 18 25 Fax: +90 (374) 226 40 32 E-mail: info@buysan.com.tr

www.buysan.com.tr



OTANTIC SAUSAGE WITH WALNUT

You should taste this product which is enriched by the additional walnet and special calf meet. They produce their products from the meat of the animals which are feeding from the open pasturelands of the villages in the Bolu.



ÇELE ET - Nuray ÖZKUREDE Aktaş mh. Nazlı sk. No: 26 Bolu

Tel: +90 (374) 217 98 44 Fax: +90 (374) 217 33 07

E-mail: serefozkurede@gmail.com

www.celeet.com



YOUNG CALF SAUSAGE

It is produced from %100 meat of young calf. It is produced from the meats of animals which are grazed from the pastures or plateaus of the villages and districts of Bolu



ÇELE ET - Nuray ÖZKUREDE Aktaş mh. Nazlı sk. No: 26 Bolu

Tel: +90 (374) 217 98 44 Fax: +90 (374) 217 33 07

E-mail: serefozkurede@gmail.com

www.celeet.com



CHICKEN DRUMSTICKS ON A PLATE

This product is produced by the removal of the back part of the skinned drumstick. It is served for sale in the plates as a fresh and freezed.



ERPILIÇ ENTEGRE TAVUKÇULUK ÜRETIM PAZ. VE TİC. LTD. ŞTİ.

Doğancı Mah.Mudurnu Yolu 7.Km BOLU

Tel: +90 (374) 253 48 48 Fax:+90 (374) 253 49 00 E-mail: erpilic@erpilic.com.tr

www.erpilic.com.tr



"Butterfly" Ribs on a Plate

The rib is produced by separating the top part of the cut drumstick from the bone with a special method. It is very convient for the grill and cooking on fire. It is served for sale in the plates as a fresh and freezed.



ERPILIÇ ENTEGRE TAVUKÇULUK ÜRETIM PAZ. VE TİC. LTD. ŞTİ.

Doğancı Mah.Mudurnu Yolu 7.Km BOLU

Tel: +90 (374) 253 48 48 Fax:+90 (374) 253 49 00 E-mail: erpilic@erpilic.com.tr

www.erpilic.com.tr



WHEAT FLOUR for PASTRY


High Absoption of Water Strong Flour Porosity is homogenous standart quality

Desired color of product

Desired raising level

Long lasting freshness

Protein: %10,5 Ash : Max %0,55 Humidity: max %14,5



GÜLEN UN VE PETROL ÜRÜNLERİ SANAYİ VE TİCARET LTD ŞTİ

Yuva Çaydurt Mah. Yuva Köyü No:36 BOLU

Tel: +90 374 226 46 12 Fax: +90 374 226 52 77

E-mail: gulen_un@mynet.com

www.gulenun.com.tr



BREAD WHEAT FLOUR

High Absoption of Water which enables to increase the number of final products

High endurance level

Porosity is homogenous

High raising level

High endurance level for heat

High quality of bread cover


High level of taste quality

Standart quality

Desired color of product

Long lasting freshness

Protein: %10,5 Ash : Min %70-max %80 Humidity: max %14,5



GÜLEN UN VE PETROL ÜRÜNLERİ SANAYİ VE TİCARET LTD ŞTİ

Yuva Çaydurt Mah. Yuva Köyü No:36 BOLU

Tel: +90 374 226 46 12 Fax: +90 374 226 52 77

E-mail: gulen_un@mynet.com

www.gulenun.com.tr



FONDON CHOCOLATE

This delicious product is produced from the chocolate covering of the wild nuts growing in Bolu Mountain. Dark Chocolate Cover (Sugar, Cocoa, Cocoa Butter, Emulgator (not genetically modified soya lecithin), Nature-identical Vaniline Aroma, Nuts, Granulated Sugar.



IMREN ŞEKERLEME

Izzet Baysal Cd. No: 112/B - Bolu

Tel: +90 (374) 215 10 86 Fax: +90 (374) 215 02 39

E-mail: melahatkesim@hotmail.com

www.imrensekerleme.com



CANDY with HAZELNUT

This product manufactured from mountain wild nuts has record with its productivity and production techniques since 1927.

Nuts (Bolu Mountain), Granulated Sugar, Water and Wheat Starch.



İMREN ŞEKERLEME

Izzet Baysal Cd. No: 112/B - Bolu

Tel: +90 (374) 215 10 86 Fax: +90 (374) 215 02 39

E-mail: melahatkesim@hotmail.com

www.imrensekerleme.com



COOKIES

Kurabiyecizade that keeps the leader position in the bakery products which is pioneer branches of the food industry has very wide product portfolio in salty and normal cookies which appealing to the different consumer types.

They are giving special importance to the Quality and Safety issues by accepting the many national and international regulations in their working discipline and they are proved this quality oriented approach by having certifications of ISO 9001:2008 Quality Management System, ISO 22000:2005 Food Safety Management System and also TSE Conformity.



ÖZ BEYZA GIDA TEM. TEKS. İNŞ. SAN. ve TİC. LTD. ŞTİ.

D-100 Karayolu Üzeri Kuruçay Mevkii 412/1 Bolu

Tel: +90 374 245 17 62 - 63 Faks: +90 374 245 17 64

E-mail: info@kurabiyecizade.com.tr

www.kurabiyecizade.com.tr



SALTY COOKIES

The cookies with specific shapes and tastes are offered to market in 250g, 400g, 500g and 2000g paper or plastic packages. They can keep their freshness during 6 months, if they are protected in sunless, cold and dry places.



ÖZ BEYZA GIDA TEM. TEKS. İNŞ. SAN. ve TİC. LTD. ŞTİ.

D-100 Karayolu Üzeri Kuruçay Mevkii 412/1 Bolu

Tel: +90 374 245 17 62 - 63 Faks: +90 374 245 17 64

E-mail: info@kurabiyecizade.com.tr

www.kurabiyecizade.com.tr





POŞETLİ BÜTÜN PİLİÇ Whole Broiler Chicken

Birinci kalite taze veya dondurulmuş sakatatsız boyunsuz bütün piliç.

A quality fresh or frozen whole broiler chicken. No giblets no neck.

Ürün kodu / Product code: 2805040

Kolide Adet / Number of broilers in a box: 10 Ağırlık/Weight: 1300 - 2200 grm







PAK TAVUK GIDA SANAYİİ VE TİCARETİ ANONİM ŞİRKETİ

D-100 Karayolu 7.Km Bolu Tel: +90 212 465 83 95 Fax: +90 212 465 82 71

E-mail: info@mudurnupilic.com.tr

www.mudurnupilic.com.tr



BAGET Chicken Drumstick With Skin

But'un orta eklem yerinden kesildiğinde elde edilen alt parçasıdır.

Lower part of the leg separated at the first joint, with skin.

Ürün kodu / Product code: 2808501







PAK TAVUK GIDA SANAYİİ VE TİCARETİ ANONİM ŞİRKETİ

D-100 Karayolu 7.Km Bolu Tel: +90 212 465 83 95 Fax: +90 212 465 82 71

E-mail: info@mudurnupilic.com.tr

www.mudurnupilic.com.tr



HAZELNUT CROQUANT WITH WHITE CHOCOLATE

SOYCI BOLU Chocolate is manufactured from % 70 hazelnut Croquant(hazelnut-sugar-butter), %30 white chocolate(sugar-vegetarian fat-cocoa powder), Emulgator (E322), Nature identical vanilla aroma.



SOYLU BOLU UNLU MAM.GID.SAN.LTD.ŞTİ. Tabaklar Mah. İzzet Baysal Cad. No:17/A Bolu

Tel: +90 (374) 215 66 56 Fax: +90 (374) 212 50 21

E-mail: info@soylupastanesi.com

www.soylupastanesi.com - www.soyci.com



HAZELNUT CROQUANT WITH DARK CHOCOLATE

SOYCI BOLU Chocolate is manufactured from % 70 hazelnut Croquant(hazelnut-sugar-butter), %30 dark chocolate(sugar-vegetarian fat-cocoa powder), Emulgator (E322), Nature identical vanilla aroma.



SOYLU BOLU UNLU MAM.GID.SAN.LTD.ŞTİ. Tabaklar Mah. İzzet Baysal Cad. No:17/A Bolu

Tel: +90 (374) 215 66 56 Fax: +90 (374) 212 50 21

E-mail: info@soylupastanesi.com

www.soylupastanesi.com - www.soyci.com



SOBIYET

Pistachio and special souce between the pastry



TUĞRA TATLICILIK

Aşağı Karaköy Mah. 1. Sokak No. 2/1 BOLU - TURKEY

Tel: +90 (374) 253 47 74 Fax: +90 (374) 253 47 84

E-mail: muhasebe@tugratatlicilik.com.tr

http://www.tugratatlicilik.com.tr



HALEP BURMA

Oven baked shredded pastry with pistachio filling in thick syrup



TUĞRA TATLICILIK

Aşağı Karaköy Mah. 1. Sokak No. 2/1 BOLU - TURKEY

Tel: +90 (374) 253 47 74 Fax: +90 (374) 253 47 84

E-mail: muhasebe@tugratatlicilik.com.tr

http://www.tugratatlicilik.com.tr









BRODE

They keep their product portfolio widely in the muslin curtain sector by treating the guipure, spangle cord and other cord types on the every surface with the help of 9 units 165 Frame Brode Machines. Every kind of curtain can be manufactured.

Moreover, to get more type pf products and production, The machine park is enlarged by 3 jacquard knitting machine in 2013 and 2014. With its superior experience and latest technological machinery, BOLPARSAN LTD continues to have a say in the quality brode production.



BOLPARSAN BRODE TEKSTİL METAL SANAYİ ve TİCARET A.Ş.

D-100 Karayolu Karacaağaç Mevkii 14100 Bolu

Telefon: +90 (374) 245 17 56 Fax :+90 (374) 245 17 54 E-mail: info@bolparsan.com http://www.bolparsan.com



Domino Textile is the company that is manufacturing the sport outerwear products (men-women-kids). The products made from the imported fabrics such as pants, skirt, shorts are exported to the many European-American and Asian countries.



DOMİNO TEKSTİL ÜRÜNLERİ SAN. VE DIŞ TİC. A.Ş. Karacaağaç Mahallesi , Kıtlıkbilmez Mevkii / Bolu, TURKEY

Telefon: +90 (374) 245 17 17 E-mail: info@dominotekstil.com.tr http://www.dominotekstil.com.tr




Generally, they are used in fabrics such as cotton gabardine, denim, lycra sateen and velvet.



DOMİNO TEKSTİL ÜRÜNLERİ SAN. VE DIŞ TİC. A.Ş. Karacaağaç Mahallesi , Kıtlıkbilmez Mevkii / Bolu, TURKEY

Telefon: +90 (374) 245 17 17 E-mail: info@dominotekstil.com.tr http://www.dominotekstil.com.tr



Caress Mattress Protector

Caress fitted sheet is a breathable and waterproof mattress protector to provide a healthy and comfortable sleep for you. Caress will protect your mattress against dust mites helping to keep your bed dry and healthy at all times.



GENTUĞ TEKSTİL ÜRÜNLERİ SAN. VE TİC. A.Ş.

Gerkonsan Organize Sanayii Bölgesi Gerede, Bolu, Türkiye

Telefon: +90 (374) 311 82 57 / 58 Fax: +90 (374) 311 66 37 E-mail: info@gentug.com.tr http://www.gentug.com.tr



Heat Resistant Ovengloves

Unlike traditional oven mitts, this heat resistant glove fully protects your hand from hot plates and pans, whilst allowing you the use of your fingers for a far superior grip.

The glove is made from Aluminum coated cotton fabric which offers the best protection whether you are BBQ-ing steaks in the garden or taking a casserole out of the oven.



GENTUĞ TEKSTİL ÜRÜNLERİ SAN. VE TİC. A.Ş.

Gerkonsan Organize Sanayii Bölgesi Gerede, Bolu, Türkiye

Telefon: +90 (374) 311 82 57 / 58 Fax: +90 (374) 311 66 37 E-mail: info@gentug.com.tr http://www.gentug.com.tr



GEREDE LEATHER INDUSTRY

There are 127 leather factories within the Gerede region. All of them are marketting their products to the producer of shoes, bags, wallet and belts, after processing the raw leathers obtained from the cattles (cow, buffalo and calf) into the semi-final products.




GEREDE TİCARET ve SANAYİ ODASI

Demirciler Mahallesi Fevzipaşa Caddesi Yenicami İş Merkezi Kat:2 GEREDE-BOLU

Telefon: +90 (374) 311 67 11 Faks: +90 (374) 311 72 18

E-Posta: geredetso@tobb.org.tr/geredetso@hotmail.com

http://www.geredetso.tobb.org.tr/



%99.9 of the companies are SME. 5 of them are integrated factories which are manufacturing the leather products and semi-final products. The capacity of all factories are daily 400-600 tones.



GEREDE TİCARET ve SANAYİ ODASI


Demirciler Mahallesi Fevzipaşa Caddesi Yenicami İş Merkezi Kat:2 GEREDE-BOLU

Telefon: +90 (374) 311 67 11 Faks: +90 (374) 311 72 18

E-Posta: geredetso@tobb.org.tr / geredetso@hotmail.com

http://www.geredetso.tobb.org.tr/





All kind of fabrics especially the synthetic fabrics (cotton polyester, linen, mixture of natural and synthetic fibers) can be manufactured, finishied and painted in the factory of Linter Textile Ltd. Sti.



LINTER TEKSTIL LTD. ŞTİ

Organize Sanayi Bölgesi Gerede/BOLU

Telefon: +90 (374) 310 10 10 Fax: +90 (374) 311 86 55 E-mail: hakan@lintertekstil.com http://www.lintertekstil.com



There is a production from Linen, denim, and gabardine fabrics. These are seasonal manufacturing models. The customers and product groups are listed below:

Sewed Product Groups

Chino Pants 5 Pocket Pants Dress Skirt Classical Blazer

Classical Pants with Form belts

Coat Short



TAYEKS

Organize Sanayi Bölgesi 5.Cadde No. 29 Bolu, TURKEY 14300

Telefon: +90 (374) 243 93 37 Fax: +90 (374) 243 93 38

http://www.taypa.com.tr



Customers

BURBERRY MAKSIMO
DOKERS MAVI
H & M PERUNA
LEE TEMA
LEGATO TOMMY
LOCES VIGOS
M & S ZARA




TAYEKS

Organize Sanayi Bölgesi 5.Cadde No. 29 Bolu, TURKEY 14300

Telefon: +90 (374) 243 93 37 Fax: +90 (374) 243 93 38

http://www.taypa.com.tr







ELECTRICAL SILO TRAILER

Capacity: (22-28-30-31-34-35-36-40-42-48)m3
Trailer Sheet Iron: ST52 4mm A1 Quality Material
King Pin: 2" Bolt-Connected in DIN Standards

System Of Break: Wabco ABS/EBS (Electronic Break System)

Design: V Type

Rim Of Wheel: 11.75-22.5 6+1 Units Rim

Tire: 385/55 R22.5 6+1 Units Tire

Mechanical Leg: 24 Ton Capacity Mechanical Leg

Compressor: Electrical/ Diesel Compressor Axles: 3 Axles Compatible, 12 Ton Capacity

System Of Electric: 24W Double Plaque Lighting And Lighting Of Side Space

System Of Voidance: 4" Spherical Stopcock

Paint: 2 Coats Of Epoxy Primer, 2 Coats Acrylic Paint

Accessories: Tornado Of Voidance, Tire and Spare Tire Holder, Ladder, Water Tank, Toolbox,

Treadmill, Fire Cabin



FATİH TREYLER OTO. NAK. İNŞ.PET. SAN.TİC. LTD.ŞTİ..

Organize Sanayi Bölgesi 3. Yol No:20 BOLU

Telefon: +90 (374) 243 88 09
Fax: +90 (374) 243 97 85
E-mail: info@fatihtreyler.com.tr
http://www.fatihtreyler.com.tr



PETROLEUM SEMI TRAILER

Capacity: 30.000L-40.000L-45.000L

Trailer Sheet Iron: Manufactoring From ST52 Metal With Using Submerged Welding Machine As Half Chassis Monobloc Or Whole Chassis. Bolt Connected Side Support Profiles Appropriate To Chassis

Section

Tank Plate: Is Made Of 4mm ST37 A1 Quality Sheet 5 Units Wave Breaker Appropriated To Eec Regulations, 40mm Wide 4 Manhole Covers, 2 Units 3" Drain Valve With 3 Header Pipe And Discharging Valve Tested Under 0.35 Bar Pressure

Tires/ Rim of A Wheel: 385/55 R22.5 Size 6+1 Units Tubeless Tires, 11.75*22.5 Steel Wheels 6+1 Units

Brake System: Dual Circuit Brake Hardware, EBS 2m/2m&4s/2m

King Pin: 2" Bolt-Connected in DIN Standards

Axles: 3 Axles Compatible, 12 Ton Capacity, Square Section

Suspension System: Air-Suspension "5810", 100mm Z-Type Springs, Suspension Valves And Shock

Absorbers

Accessories: Spare Tire Holder, Tool Box, Water Tank, Wheel Chock And Holder, Rising Ladder, Ladder

6.5m Long Hose Carriers And Locks, Top Platform and Treadmill



FATİH TREYLER OTO. NAK. İNŞ.PET. SAN.TİC. LTD.ŞTİ...

Organize Sanayi Bölgesi 3. Yol No:20 BOLU

Telefon: +90 (374) 243 88 09
Fax: +90 (374) 243 97 85
E-mail: info@fatihtreyler.com.tr
http://www.fatihtreyler.com.tr



30 M3 ZEBRA SILO TRAILER (5000 KG)

TYPE: 3 Axles Pilot Silo trailer

Trailer Sheet Iron: Pipes of the body sheet are located according to the body of the trailer and it is

supported by the crossbars. There are some side sealings on the axle connection points.

AXLES: 3x9 carried capacity with suspensions (having height and weight control)

Supported front axles are lifted. Axles have disk brake systems made in Germany SAF.

TOTAL LENGHT: Max 10.000 mm

WIDHT: 2.450 mm

ELECTRICAL INSTALLATION: The products used in this part is E certificated and appropriate to the

European Norms EEC 24.

COATING: It is coated by whole phospate and then one times epoxy undercoat and 2 times acrylic paint

is used.

KING PIN: 2" Bolt-Connected in DIN Standards and highly durable for tensions.

It is made from steel and practical because of screw connettions.

TIRES/ RIM OF A WHEEL: 385/55 R22.5 Size 6+1 Units Tubeless Tires, BRIDGESTONE R-179; Steel Wheels 6+1 Units

BRAKE SYSTEM: It fulfills the safer conditions with Dual Circuit Brake Hardware, 2 tire having EBS and

RSS (Road Stabilization Systems), automated servo distributor. All valves are from WABCO.

LEGS: MAKERSAN OVRO branded spring telescopic Leg with 24 Ton Capacity

LOADING / UNLOADING: Each segment has leakproof gaskets, 4 finger VANOFON unloading valves and unloading hose.

COMPRESOR: BEKOMSAN 3 Head Compresor







HAŞİMOĞLU DORSE LTD. ŞTİ.

Organize Sanayi Bölgesi 9. Parsel 2. Kısım BOLU

Telefon: +90 (374) 243 90 91 Fax: +90 (374) 243 90 92

E-mail ; iinfo@hasimogludorse.com http://www.hasimogludorse.com



40 M3 SILO TRAILER

TYPE: 3 Axles Piot Half Silo trailer

Trailer Sheet Iron: Pipes of the body sheet are located according to the body of the trailer and it is supported by the 5 mm crossbars. There are some side sealings on the axle connection points.

TANK: It is made from 4 mm metal sheet under the ST 37 quality standard.

AXLES: 3x14 carried capacity with suspensions (having height and weight control)

TOTAL LENGHT: Max 12.000 mm

WIDHT: 2.450 mm

ELECTRICAL INSTALLATION: The products used in this part is E certificated and appropriate to the

European Norms EEC 24.

COATING: It is coated by whole phospate and then one times epoxy undercoat and 2 times acrylic

KING PIN: 2" Bolt-Connected in DIN Standards and highly durable for tensions.

It is made from steel and practical because of screw connettions.

TIRES OF A WHEEL: 385/55 R22.5 Size 6+1 Units Tubeless Tires , BRIDGESTONE R-179: BRAKE SYSTEM: It fulfills the safer conditions with Dual Circuit Brake Hardware, 2 tire having EBS and RSS (Road Stabilization Systems), automated servo distributor. All valves are from WABCO.

LEGS: MAKERSAN OVRO branded spring telescopic Leg with 24 Ton Capacity

LOADING / UNLOADING: Each segment has leakproof gaskets, 4 finger VANOFON unloading valves and unloading hose.

COMPRESOR: BEKOMSAN ESINTI 72 3 Head Compresor

TOTAL WEIGHT: 8.000 KG







HAŞİMOĞLU DORSE LTD. ŞTİ.

Organize Sanayi Bölgesi 9. Parsel 2. Kısım BOLU

Telefon: +90 (374) 243 90 91 : +90 (374) 243 90 92

E-mail: iinfo@hasimogludorse.com http://www.hasimogludorse.com



SWEEPING MACHINE

Sweeping machines are produced to facilitate the cleaning of the open areas, streets and roadsides, chicken coops. It can clean approximately 2.500 m2 area depending on the dirty level. It collects dusts, fertilizer, soil, stone chips etc. into its storage area and then with the help of hydraulics it can unload them easily.



TEKEOĞLU TARIM MAKİNALARI VE ISITMA SİSTEMLERİ SAN.LTD.ŞTİ.

Sanayi Sitesi 1. Blok No:167 Dörtdivan / BOLU

Tel: +90 (374) 331 41 47 Fax: +90 (374) 331 41 42

E-mail: metin@tekeoglumakina.com

www.tekeoglumakina.com



5 TONES FERTILIZIAR TRAILER

 Total length
 : 4800

 Total width
 : 2400

 Total height
 : 2500

 Gap
 : 380

 Height of the base from floor
 : 1150

 Track Widht
 : 1180

Dimensions : (1090-2350)x2850x1310

Volume : 7000 dm3
Distance between centers of the axle and tow hook : 3150
Net Weight : 2000 daN
Tyre Size : 8,25-20




TEKEOĞLU TARIM MAKİNALARI VE ISITMA SİSTEMLERİ SAN.LTD.ŞTİ.

Sanayi Sitesi 1. Blok No:167 Dörtdivan / BOLU

Tel: +90 (374) 331 41 47 Fax: +90 (374) 331 41 42

E-mail: metin@tekeoglumakina.com

www.tekeoglumakina.com







PRO-FLEKS %5 DEKSTROZ SOLUTION

Active Substance: It contains 5 gram dekstroz anhidrid per 1 liter solution

Inactive Substance: Injection water



ÇETİNKAYA İLAÇ SANAYİ VE TİCARET A.Ş.

Susuzkınık Organize Sanayi Bölgesi No:120/10 BOLU/ TÜRKİYE

Telefon: +90 (374) 243 95 85
Fax: +90 (374) 243 95 82
E-mail: info@cetinkayailac.com.tr
http://www.cetinkayailac.com



PRO-FLEKS %0,9 ISOTONIC SODIUM CLORIDE SOLUTION

Active Substance: It contains 9 gram sodium chloride (salt) per 1 liter solution


Inactive Substance: Sterile injection water



ÇETİNKAYA İLAÇ SANAYİ VE TİCARET A.Ş.

Susuzkınık Organize Sanayi Bölgesi No:120/10 BOLU/ TÜRKİYE

Telefon: +90 (374) 243 95 85 Fax: +90 (374) 243 95 82 E-mail: info@cetinkayailac.com.tr http://www.cetinkayailac.com



FAST-Prick

FAST-Prick® The standard composition has been adopted in conformity with the German guideline as well as European recommendations

FAST-Prick® is a modern CE-certified system for skin prick test using the 14 most relevant allergens at once and the general both controls.

FAST-Prick® 8 allergen solutions will be pricked into the epidermis with an applicator.

FAST-Prick® Results can be evaluated certainly by the medium wheel diameter after 15 minutes already.

FAST-Prick® The controlled penetration depth enables an almost painless application with rarely complications.

FAST-Prick® A very small amount of prick solution is needed due to the particular form of the tips compared with the common prick lancets.

FAST-Prick® has an easy and quick handling.


FAST-Prick® saves time in everyday practice and is comfortable for skilled personnel as well as for tested persons.



MEDISAFE LTD. STI.

Küçük Sanayi Sitesi No : 13 / 18 BOLU/ TÜRKİYE

Telefon: +90 (374) 243 98 69 Fax: +90 (374) 243 98 80 E-mail: info@medisafe.com.tr http://www.medisafe.com.tr



SpiroSafe

SpiroSafe® Our respiratory function test filters are assembled in a sterile room using the ultrasonic welding method.

SpiroSafe® Produced for various mouth structures and devices.

SpiroSafe® The product can be produced either with a cardboard or plastic mouth piece.

SpiroSafe® Has a 99.9% virus and bacterial retention feature which protects the patient from infection.



MEDISAFE LTD. ŞTİ.

Küçük Sanayi Sitesi No : 13 / 18 BOLU/ TÜRKİYE

Telefon: +90 (374) 243 98 69 Fax: +90 (374) 243 98 80 E-mail: info@medisafe.com.tr http://www.medisafe.com.tr



DIGITAL RECENT TECHNOLOGY U-ARM HF RADIOGRAPHIC SYSTEM

The DIGITAL RECENT TECHNOLOGY U-ARM HF RADIOGRAPHIC SYSTEM is designed to give the maximum flexibility and clinic productivity, having a great range of possible studies. Especially lateral positioning capability is an innovation towards this purpose. The total integrated system that combines modern technology of the X-ray generator of high frequency with either conventional bucky systems or the Flat panel technology for Direct Digital Acquisition, all design to give the system a friendly use of the operator and easy position of the patient.

DR GROUP SPECIFICATION

Flat panel DR detectors offers fast, filmless X-ray capture for diverse radiographic applications. Featuring advanced flat panel detector technology with Cesium Iodide (CsI) scintillator for superb dose efficiency, the high-sensitivity detector delivers clear, high-resolution images with lower X-ray dosage than conventional systems. In addition to offering easier patient positioning, seamless network integration, and significantly reduced wait time for both patients and staff, flat panel DR detectors can also be flexibly installed in various configurations to meet all kinds of radiographic examination requirements.

Easy to integrate

High-quality digital images Large format: 17" x 17" Reduced radiation dose Instantaneous imaging



US X-RAY RÖNTGEN A.S.

Bolu-Ankara D-100 Yolu 13.Km Yenicepınar / BOLU

Telefon: +90 (374) 243 92 00 Fax: +90 (374) 243 91 99 E-mail: sale@usx-ray.com http://www.usx-ray.com



DIGITAL PORTABLE HF X-RAY EQUIPMENT

DIGITAL PORTABLE HF X-RAY EQUIPMENT is designed as a foldable unit to carry the X-Ray unit from door to door of patient room in clinics and hospitals and therefore can reduce the patient positioning time and efforts. Standard applications are: medical radiographic use in nursing homes, private homes, field clinics, correctional facilities, military field operations, intensive care units, emergency units, extremity orthopaedic or anywhere an x-ray machine can be brought to a patient.

Console control integrated on the system with digital indicator of the selection for kVp and mAs parameters, large/small focus selection, light indicator and acoustic of the X-ray exposure. It also includes a magnetic thermal limitation switch.

The unit has overload protection to protect the system and warm the user when power level exceeded. Hand switch for expojure Weight :125 kg.

Including crate and accesories with special low weight case : 210,5 kg. Including crate and accesories with MILITARY SPEC. TRANSPORTATION CASE

Control Panel integrate with the touch screen operator console "Integrated Systems".

The radiographic parameters are automatically selected through the anatomical programmer "APR" and also allowing the manual modification of the parameters.

Visualization of the parameters on screen, even dose parameters (if the system has the option), and storage with the DICOM image of demographic and exposure data. Min. 500 different APR programing, Wi-Fi connectivity for connection to PACS, Work stations, etc. UPS- 750VA for portable application



US X-RAY RÖNTGEN A.S.

Bolu-Ankara D-100 Yolu 13.Km Yenicepinar / BOLU

Telefon: +90 (374) 243 92 00 Fax: +90 (374) 243 91 99 E-mail: sale@usx-ray.com http://www.usx-ray.com







C2® PLUS FEEDER

Gets Birds Off to a Good Start from Day One

Chick-friendly 14-spoke grill design lets birds exit pans easily.

Shallow pan option reduces the need for feed trays and extra labor when starting birds.

Optional feed windows fill pans high with feed to attract chicks.

All-plastic construction with ultraviolet protection and reinforced eating and cone wear areas.

Keeps Birds Growing with Top Feed Conversion


Feed-saving features include Chore-Time's "V"-shaped pan bottom design, double pan lip and anti-rake fins. Extended fin model features ½-inch (13-mm) longer anti-rake fins to keep the cone off the bottom of the pan – permits more feed in pan when windows are closed with pan on the floor.

Easy to adjust for flooding or a lower feed level as birds grow.



AYTUĞLU KÜMES EKİPMANLARI SAN. TİC. LTD. ŞTİ. Karamanlı mahallesi Mutlu Sk. İpek Apt. NO: 5/24 BOLU

Telefon: +90 (374) 215 83 99 Fax: +90 (374) 217 45 44 E-mail: bilgi@aytuglu.net http://www.aytuglu.net



STEADI-FLOW® Broiler Drinker

Precision-machined, stainless steel parts in flow-control area.

Drinkers can be triggered from 360° which helps young birds start well and makes drinking easier.

All parts resist corrosion, and the gray PVC pipe blocks light to minimize algae growth.

Saddle-to-pipe structure minimizes leaks by using a special assembly process without glue or o-rings. Rigid aluminum support channel also serves as an anti-roost device.

Factory-assembled sections are easy to install and to operate and have low maintenance requirements. Proven history of providing plenty of water for birds.

Drinkers feature stainless steel valve components and PVC pipe, valve housing, saddle and hangers Heavy-duty, rigid aluminum support channel resists corrosion better than galvanized conduits or pipe. Saddle-to-pipe structure minimizes leaks by using a special assembly process without glue or o-rings Factory-assembled sections simplify installation, and systems are easy to operate and maintain.



AYTUĞLU KÜMES EKİPMANLARI SAN, TİC, LTD, ŞTİ, Karamanlı mahallesi Mutlu Sk, İpek Apt, NO: 5/24 BOLU

Telefon: +90 (374) 215 83 99 Fax :+90 (374) 217 45 44 E-mail: bilgi@aytuglu.net http://www.aytuglu.net



APPROACH LIGHTS

STANDARTLARA UYGUNLUK

Compliance with Standards

FAA: It complies with the A-1200, E-982 terms.

ICAO: It fulfills the Annex 14, Cilt No 1 and Aerodrome Design Manual Section 4

NATO: It complies with STANAG 3316 Certificated by the ICE/EN 61827

USAGE AREAS

High intensity approach light for use in Cat. I, II and III approach lighting systems. High intensity end and side lights of ramp for use in Cat. I, II and III approach lighting systems. It is used as end lights



EMA A.Ş.

Bolu Organize Sanayi Bölgesi 1. Cad. No:13 Bolu / Türkiye

Telefon: +90 (374) 243 88 65
Fax :+90 (212) 280 69 37
E-mail: mail@ematesisat.com.tr
http://www.ematesisat.com.tr



TAXIWAY EDGE LIGHTS

Compliance with Standards

FAA: It complies with the AC-150/5345-46B L 861T terms.

ICAO: It fulfills the forometric characteristics of Annex 14, Cilt No 1 and Aerodrome Design Manual

Section 4

NATO: It complies with STANAG 3316 Certificated by the ICE/EN 61827

USAGE AREAS

It can be used for every category of taxiways and airfield edge lightings.



EMA A.Ş.

Bolu Organize Sanayi Bölgesi 1. Cad. No:13 Bolu / Türkiye

Telefon: +90 (374) 243 88 65
Fax :+90 (212) 280 69 37
E-mail: mail@ematesisat.com.tr
http://www.ematesisat.com.tr



PVC BOOT

PVC Boots whose raw materials are produced in the Bolu Factory of GEZER are exported to the Germany



GEZER AYAKKABI DERİ SAN. VE TİC. A.Ş.

Bolu Organize Sanayi Bölgesi 116 Ada 5. Parsel Bolu, TURKEY

Telefon: +90 (374) 243 91 91 Fax: +90 (374) 243 92 04 E-mail: gezer@gezer.com http:// www.gezer.com



EVA SLIPPERS

EVA Slippers whose raw materials are produced in the Bolu Factory of GEZER are exported to the Germany



GEZER AYAKKABI DERİ SAN. VE TİC. A.Ş.

Bolu Organize Sanayi Bölgesi 116 Ada 5. Parsel Bolu, TURKEY

Telefon: +90 (374) 243 91 91 : +90 (374) 243 92 04 E-mail: gezer@gezer.com

http://www.gezer.com



Ductile Manhole Cover

Product Code	Standard Class		Weight		Gasket			Processing	
KD 1020 KD 1025	TS 1478 EN 124	D 400 E 600	88 Kg 105 Kg		EPDA	1 Rubber	Turned Compression Zone		
Paint	Lock Mechanism			A	В	c	D	H1	H2
Bitumen Based Black	1 Unit Ductile Iron Lock Mechanism		Dimensions	Ø 810	Ø 600	Ø 690	Ø 675	115	90



KARADENIZ DÖKÜM SAN. VE TİC. LTD. ŞTİ.

E-5 Karayolu Üzeri, Dadıç Yolu, Ali Fuat Paşa Sok. No:9 BOLU

Telefon: +90 (374) 245 12 17 Fax:+90 (374) 245 12 16

E-mail: kdds@karadenizdokum.com.tr http://www.karadenizdokum.com.tr



DUCTILE IRON

Product Name: 4 Wheel Drive Front Support

Material: GGG 50 (Ductile Iron)




KARADENIZ DÖKÜM SAN. VE TİC. LTD. ŞTİ.

E-5 Karayolu Üzeri, Dadıç Yolu, Ali Fuat Paşa Sok. No:9 BOLU

Telefon: +90 (374) 245 12 17 Fax:+90 (374) 245 12 16

E-mail: kdds@karadenizdokum.com.tr http://www.karadenizdokum.com.tr





MICROLAMBRI (CEPHE PANELÍ)



KS 103 FCF				L					U De eri	A with
Kaimik / A kik	150	200	250	300	350	400	450	500	w/m²K	Kg/m²
Microlambri 40	408	299	182	114	78	57	44	34	0,51	10,12
Microlambri 50	527	385	240	153	104	75	57	45	0,44	10,52
Microlambri 60	640	472	324	196	131	94	71	.56	0,39	10,92
Microlambri 80	913	635	471	290	185	128	94	72	0,29	11,72
Microlambri 100	1174	831	602	439	256	175	127	96	0,15	12.52

Her iki yibril boyak nec

Hesspfamalarda ermsiyet gerilimeleri sac için 1400kg/cm² alınmıştır. Kesik analişleri laboratusir tesilleri ile desteklerimiştir. Nor K 0.05100 kabul edilebilir yekil limbi L/150, Değerler 0.50+0.50 mm beyalı galveniz seç kalınlıkları içindir.

Both face galvanised pointed steel

Safety figures have been considered 1400 ligger of for steel and in calculation. The analyses supported by test in laboratory, No. H.O. 05/03 acceptable defection first is L/150. The figures are for 0.50+0.50 mm metal thickness.




İZOPOLİ YAPI ELEMANLARI TAAHHÜT SANAYİ ve TİCARET A.Ş. Organize Sanayi Bölgasi Dr.Akın ÇAKMAKÇI Bulvarı No:59 BOLU


Tel: +90 (212) 236 60 32 Fax: +90 (212) 236 05 41 E-mail: info@izopoli.com

www.izopoli.com





EKO PANEL (ÇATI PANELÎ)



KS 100 FRW			777	- 1	191	70		- 2	U De eri	A tritik
Kalnik / A kik	150	290	250	300	350	400	450	500	w/m²K	Kg/m²
EKOPANEL 30	223	141	91	85.	48	36	23	13	0,59	9,85
EKOPANEL 40	251	151	99	72	- 55	43	34	24	0,51	10,25
EKOPANEL 50	290	161	107	79	61	48	30	32	0.42	16,65
EKOPANEL 60	264	158	105	77	50	47	36	32	0,34	11,05
EKOPANEL 80	287	174	117	87	68	55	46	38	0.25	11,84
EKOPANEL 100	307	169	1.28	96	76	62:	.51	43	0.16	12,63

Her thi y (ini) boyali sac

Hesaplamalanda emniyet gerilmeleri sac için 1400kg/cm² akısmetir. Kesit anafizleri isboratuar testleri ile desteklerimiştir. No. H.O.05/03 kabul edilebilir şekil ilmihi 1.750. Değerler 0.50-0.50 mm boyalı galvanlır sac kalınlıkları içindir. Both foce galvaniesd painted steel

Safety figures have been considered 1900 kg/cm² for stock and in calculation. The analyses supported by test in laboratory, No. H.O. 05/03 acceptable deflection limit is L/150. The figures are for 0.50-0.50mm metal fisckness.



İZOPOLİ YAPI ELEMANLARI TAAHHÜT SANAYİ ve TİCARET A.Ş. Organize Sanayi Bölgasi Dr.Akın ÇAKMAKÇI Bulvarı No:59 BOLU

Tel: +90 (212) 236 60 32 Fax: +90 (212) 236 05 41 E-mail: info@izopoli.com

www.izopoli.com



SODIUM SILICATE

The raw material is imported as a solid form and processed to make it liquid within the factory. The usage areas of this product are adhesive for paper cement of cardboard, Concrete and general masonry treatment and Superplasticizer for Concrete. This product is exported to the Iraq.



ÖZKİMSAN KİMYA TAŞ.MADEN İNŞ.MAK.OR.ÜR.DIŞ TİC. ve SAN.LTD.ŞTİ

O.S.B. 3. Cadde No:28 BOLU
Telefon: +90 (374) 243 92 61
Fax :+90 (374) 243 92 63
E-mail: info@ozkimsan.com.tr
http://www.ozkimsan.com.tr



BLOCK MARBLE

There are 2 - 10 cubicmeter products in the marble quarry. They are exported to the China as a block under the brand of Turk Beji without processing.



ÖZKİMSAN KİMYA TAŞ.MADEN İNŞ.MAK.OR.ÜR.DIŞ TİC. ve SAN.LTD.ŞTİ O.S.B. 3. Cadde No:28 BOLU

Telefon: +90 (374) 243 92 61 Fax:+90 (374) 243 92 63 E-mail: info@ozkimsan.com.tr

http://www.ozkimsan.com.tr



PACKAGING

The products especially used in the food industry; The packaging material buckets which are produced by using IML Print Technologies (In Mould Labelling). The robots can reach and place the labels inside moulds, end-products are taken from the moulds, arranged in an order and placed into the paper boxes for the deliveries with the help of robots. Due to the hygiene production, they can be filled up in the end customers. The products can be durable because packings are formed by the sensitive moulds, and their lids are closed so they are air-tight. The products can be apparent and easiliy marketable with the help of legibility, easy content and instructions of the labels. Therefore, marketing activities of companies can continue on the shelves and also homes.



PAKFORM PLASTIK AMBALAJ SAN. VE TÍC. A.Ş.

Organize San. Bölgesi Doktor Akın Çakmakçı Bulvarı Nr.6 BOLU

Telefon: +90 (374) 243 80 80 Fax: +90 (374) 243 84 50 E-mail: info@pakformambalaj.com http://www.pakformambalaj.com



The company specialized in the companies that are processing Dairy Products - Ice cream - Butter and also they can minimize the losses while producing the appropriate products under the required quality control systems. The products can be followed up until the end consumer with the help of traceabilty of the sensitive production and quality control mechanisms.

Product Types:

PF1500 1,50 lt. PF2000 2,00 lt. PF2200 2,20 lt. PF2250 2,25 lt. PF2500 2,50 lt. PF3000 3,00 lt. PF5000 5,00 lt. PF10000 10,00 lt.



PAKFORM PLASTIK AMBALAJ SAN.VE TIC. A.Ş.

Organize San. Bölgesi Doktor Akın Çakmakçı Bulvarı Nr.6 BOLU

Telefon: +90 (374) 243 80 80 Fax: +90 (374) 243 84 50 F-mail: info@nakformambala

E-mail : info@pakformambalaj.com http://www.pakformambalaj.com



FEEDER

Rota Broiler Feeder


5 Stage Daily Calibration Feeder for Chicks

Outer Diameter : 360 mm Inner Diameter : 345 mm

Depth: 65 mm

Class Broiler Feeder

5 Stage Daily Calibration Feeder for Chicks









SAZAK TAVUKÇULUK ve HAY.ÜRÜN.TİC.ve SAN.LTD.ŞTİ. İzzet Baysal Cd. No:131 BOLU

Telefon: +90 (374) 217 69 72 Fax: +90 (374) 217 69 73

E-mail: info@sazaktavukculuk.com http://www.sazaktavukculuk.com



SILO

Side walls, entrance doors and support columns of silos with colonical bottoms are made from high quality and durable galvanised steel sheets There are hand rails on the stairs for your security. The conical bottom of silo which is fixed by six steel legs is very durable because of galvanised steel structure.

Silo Code	Silo Diameter (m)	Silo Floor	Silo Capacity (tone)	Required Concrete Width (m)
OSDA01	2,2	1	4,88	3X3X0,40
OSDA02	2,2	2	9,58	3X300.40
OSDA03	2.2	3	11,93	3X3X0,40
OSDA04	2,2	4	14,27	3X3X0,50
OSDA05	2.2	5	17,23	30(30(0,50
OSGE01	2,8	1	7,5	3,5X3,5X0,40
OSGE02	2,8	2	11,08	3,5X3,5X0,50
OSGE03	2,8	3	14.61	3,5X3,5X0,50
OSGE04	2.8	4	18,13	3.5X3.5X0.60
OSGE05	2,8	5	21,65	3,5X3,5X0,70



SAZAK TAVUKÇULUK ve HAY.ÜRÜN.TİC.ve SAN.LTD.ŞTİ. İzzet Baysal Cd. No:131 BOLU

Telefon: +90 (374) 217 69 72 Fax :+90 (374) 217 69 73

E-mail: info@sazaktavukculuk.com http://www.sazaktavukculuk.com





LEXY 60 POLYURETHANE FOAM

Highly innovative polyurethane foam with very high yield and superior foam structure achieved thanks to modern technology. Low pressure formulation prevents bowing of window and door profiles.

The product is recommended for sealing, filling, insulating and mounting even in o hard-to-reach places thanks to it's multipostion function (can temp. >15°C).

TYPICAL APPLICATION: Mounting, insulating, filling and sealing windows, doors, pipes, cracks and holes

BENEFITS

High yield – up to 60L (2 x more foam compare to offered by standard foams)

Low pressure formulation

Does not flow down from vertical surfaces

Very high dimensional stability

Multiposition function

Application temperatures from 0°C up to +30°C

Saves builder's working time - cutting after ca 40 minutes

Mould- and moisture- resistant

It is produced according to the ISO 9001 ve EN ISO 845, DIN4102, DIN 53428, DIN 53455, DIN 53421, DIN 53422, DIN 52612 norms.



SELENA YAPI MALZEMELERÎ SANAYÎ VE TÎCARET LTD STÎ

Organize Sanayi Bölgesi No: 58 BOLU

Telefon: +90 (374) 243 93 13 Fax: +90 (374) 215 93 15 E-mail: info@selenaturk.com.tr http://www.selenaturk.com.tr



PRODUCES SAFE SOLUTIONS



CLASSIC FIX CONSTRUCTION ADHESIVE

It is the rubber based polyurethane foam that is used in adhesion of the mounting of doors and windows, thermal and acoustic insulation materials, plastics-metal panels indoor or outdoor and sealing of hard-to-reach places.

Standart Application: Strong and Durable Adhesion, glass, metals, plastics

Advantages:

Transparency Short Cure Time



SELENA YAPI MALZEMELERİ SANAYİ VE TİCARET LTD ŞTİ

Organize Sanayi Bölgesi No: 58 BOLU

Telefon: +90 (374) 243 93 13 Fax: +90 (374) 215 93 15 E-mail: info@selenaturk.com.tr http://www.selenaturk.com.tr



BOLU CHAMBER OF COMMERCE AND INDUSTRY

Borazanlar Mah. D-100 Karayolu Cad. No:42 BOLU Phone: +90 (374) 215 16 92 - 215 16 93

Fax: +90 (374) 215 16 94

e-mail: info@bolutso.org.tr

www.bolutso.org.tr





BOLU CHAMBER OF COMMERCE AND INDUSTRY

Borazanlar Mah. D-100 Karayolu Cad. No:42 BOLU

Phone: +90 (374) 215 16 92 - 215 16 93

Fax: +90 (374) 215 16 94 e-mail: info@bolutso.org.tr

www.bolutso.org.tr